



Zeskantbout


Vis à tête hexagonale




DIN 931
ISO/EN 4014

			INOX A2		
Afmeting Dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100
M 5 x 30	200	5,64	931IN005X030	380	9,42
M 5 x 35	200	6,42	931IN005X035	396	9,82
M 5 x 40	200	7,20	931IN005X040	408	10,11
M 5 x 45	200	7,98	931IN005X045	413	10,24
M 5 x 50	200	8,76	931IN005X050	457	11,33
M 6 x 25	200	7,00	931IN006X025	345	8,55
M 6 x 30	200	8,06	931IN006X030	384	9,52
M 6 x 35	200	9,13	931IN006X035	408	10,11
M 6 x 40	200	10,20	931IN006X040	425	10,54
M 6 x 45	200	11,30	931IN006X045	436	10,81
M 6 x 50	200	12,30	931IN006X050	442	10,96
M 6 x 55	200	13,30	931IN006X055	472	11,70
M 6 x 60	200	14,40	931IN006X060	580	14,38
M 6 x 65	200	15,60	931IN006X065	640	15,87
M 6 x 70	200	16,80	931IN006X070	653	16,19
M 6 x 75	200	18,00	931IN006X075	1.135	28,14
M 6 x 80	200	19,30	931IN006X080	1.320	32,72
M 8 x 35	200	18,20	931IN008X035	660	16,36
M 8 x 40	200	20,30	931IN008X040	675	16,73
M 8 x 45	200	22,20	931IN008X045	760	18,84
M 8 x 50	200	24,20	931IN008X050	800	19,83
M 8 x 55	200	25,80	931IN008X055	940	23,30
M 8 x 60	200	27,80	931IN008X060	1.034	25,63
M 8 x 65	200	29,80	931IN008X065	1.055	26,15
M 8 x 70	200	31,80	931IN008X070	1.055	26,15
M 8 x 75	200	33,80	931IN008X075	1.290	31,98
M 8 x 80	200	35,70	931IN008X080	1.350	33,47
M 8 x 85	100	37,80	931IN008X085	1.490	36,94
M 8 x 90	100	39,90	931IN008X090	1.530	37,93
M 8 x 100	100	44,10	931IN008X100	1.780	44,13
M 8 x 110	100	48,60	931IN008X110	2.030	50,32


Zeskantbout Vis à tête hexagonale

			INOX A2		
Afmeting Dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100
M 8 x 120	100	53,10	931IN008X120	2.185	54,16
M 8 x 130	100	57,60	931IN008X130	2.260	56,02
M 10 x 40	200	35,00	931IN010X040	1.460	36,19
M 10 x 45	100	38,00	931IN010X045	1.490	36,94
M 10 x 50	100	41,10	931IN010X050	1.580	39,17
M 10 x 55	100	43,80	931IN010X055	1.650	40,90
M 10 x 60	100	46,90	931IN010X060	1.770	43,88
M 10 x 65	100	50,00	931IN010X065	1.890	46,85
M 10 x 70	100	53,10	931IN010X070	1.850	45,86
M 10 x 75	100	56,20	931IN010X075	2.278	56,47
M 10 x 80	100	59,30	931IN010X080	2.310	57,26
M 10 x 90	100	65,50	931IN010X090	2.740	67,92
M 10 x 100	100	71,70	931IN010X100	3.150	78,09
M 10 x 110	50	77,90	931IN010X110	3.740	92,71
M 10 x 120	50	84,10	931IN010X120	4.330	107,34
M 10 x 130	50	90,30	931IN010X130	4.680	116,01
M 10 x 140	50	96,50	931IN010X140	5.430	134,61
M 12 x 40	100	48,30	931IN012X040	1.610	39,91
M 12 x 45	100	53,60	931IN012X045	1.720	42,64
M 12 x 50	100	58,10	931IN012X050	1.860	46,11
M 12 x 55	100	62,60	931IN012X055	1.991	49,36
M 12 x 60	100	67,00	931IN012X060	2.006	49,73
M 12 x 65	100	70,30	931IN012X065	2.600	64,45
M 12 x 70	100	74,70	931IN012X070	2.425	60,11
M 12 x 80	100	83,60	931IN012X080	2.740	67,92
M 12 x 90	50	92,40	931IN012X090	3.020	74,86
M 12 x 100	50	101,00	931IN012X100	3.440	85,28
M 12 x 110	50	109,00	931IN012X110	3.662	90,78
M 12 x 120	50	118,00	931IN012X120	4.687	116,19
M 12 x 130	50	127,00	931IN012X130	5.712	141,60
M 12 x 140	50	136,00	931IN012X140	6.737	167,01
M 12 x 150	50	145,00	931IN012X150	7.762	192,41
M 14 x 50	50	82,00	931IN014X050	2.927	72,56
M 14 x 55	50	88,10	931IN014X055	4.230	104,86
M 14 x 60	50	94,10	931IN014X060	4.580	113,54
M 14 x 65	50	100,10	931IN014X065	5.690	141,05
M 14 x 70	50	105,00	931IN014X070	5.880	145,76
M 14 x 80	50	117,00	931IN014X080	7.065	175,14
M 14 x 90	50	127,00	931IN014X090	8.260	204,76


Zeskantbout Vis à tête hexagonale

			INOX A2		
Afmeting Dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100
M 14 x 100	50	139,00	931IN014X100	9.455	234,38
M 14 x 110	50	151,00	931IN014X110	10.650	264,01
M 14 x 120	50	164,00	931IN014X120	11.845	293,63
M 14 x 130	50	177,00	931IN014X130	13.040	323,25
M 14 x 140	25	190,00	931IN014X140	14.235	352,88
M 14 x 150	25	197,00	931IN014X150	15.430	382,50
M 16 x 55	50	115,00	931IN016X055	3.398	84,23
M 16 x 60	50	123,00	931IN016X060	3.562	88,30
M 16 x 65	50	131,00	931IN016X065	4.163	103,20
M 16 x 70	50	139,00	931IN016X070	4.580	113,54
M 16 x 75	50	147,00	931IN016X075	4.595	113,91
M 16 x 80	50	155,00	931IN016X080	4.606	114,18
M 16 x 85	50	163,00	931IN016X085	5.280	130,89
M 16 x 90	50	171,00	931IN016X090	5.320	131,88
M 16 x 100	25	186,00	931IN016X100	6.432	159,45
M 16 x 110	25	202,00	931IN016X110	7.390	183,19
M 16 x 120	25	218,00	931IN016X120	7.927	196,51
M 16 x 130	25	230,00	931IN016X130	9.612	238,28
M 16 x 140	25	246,00	931IN016X140	9.830	243,68
M 16 x 150	25	262,00	931IN016X150	12.510	310,11
M 16 x 160	25	278,00	931IN016X160	13.478	334,11
M 16 x 170	25	294,00	931IN016X170	14.150	350,77
M 16 x 180	25	310,00	931IN016X180	15.360	380,76
M 20 x 60	50	207,00	931IN020X060	6.340	157,16
M 20 x 65	50	219,00	931IN020X065	6.480	160,64
M 20 x 70	50	231,00	931IN020X070	6.620	164,11
M 20 x 75	25	243,00	931IN020X075	7.290	180,71
M 20 x 80	25	255,00	931IN020X080	7.290	180,71
M 20 x 85	25	267,00	931IN020X085	9.058	224,54
M 20 x 90	25	279,00	931IN020X090	9.215	228,43
M 20 x 100	25	303,00	931IN020X100	10.155	251,74
M 20 x 110	25	327,00	931IN020X110	11.680	289,54
M 20 x 120	25	351,00	931IN020X120	12.520	310,36
M 20 x 130	25	374,00	931IN020X130	14.841	367,90
M 20 x 140	25	398,00	931IN020X140	17.162	425,43
M 20 x 150	25	422,00	931IN020X150	19.483	482,97
M 20 x 160	25	446,00	931IN020X160	21.804	540,51
M 20 x 170	25	470,00	931IN020X170	24.125	598,04
M 20 x 180	25	494,00	931IN020X180	26.446	655,58


Zeskantbout
Vis à tête hexagonale

			INOX A2		
Afmeting Dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100
M 20 x 200	25	544,00	931IN020X200	30.256	750,03


Stalen zeskanttapbouten Boulons à tête hexagonale




DIN 933
ISO/EN 4017

			INOX A2		
Afmeting Dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100
M 3 x 20	500	1,18	933IN003X020	194	4,81
M 4 x 10	500	1,64	933IN004X010	168	4,16
M 4 x 12	500	1,80	933IN004X012	180	4,46
M 4 x 16	500	2,10	933IN004X016	180	4,46
M 4 x 20	500	2,41	933IN004X020	192	4,76
M 4 x 25	500	2,80	933IN004X025	202	5,01
M 4 x 30	500	3,19	933IN004X030	280	6,94
M 4 x 35	500	3,57	933IN004X035	360	8,92
M 4 x 40	500	3,96	933IN004X040	402	9,97
M 4 x 45	500	4,34	933IN004X045	430	10,66
M 4 x 50	200	4,73	933IN004X050	430	10,66
M 4 x 60	200	5,50	933IN004X060	753	18,67
M 5 x 10	500	2,63	933IN005X010	160	3,97
M 5 x 12	500	2,87	933IN005X012	164	4,07
M 5 x 16	500	3,37	933IN005X016	170	4,21
M 5 x 20	500	3,87	933IN005X020	182	4,51
M 5 x 25	500	4,49	933IN005X025	188	4,66
M 5 x 30	500	5,11	933IN005X030	211	5,23
M 5 x 35	500	5,73	933IN005X035	250	6,20
M 5 x 40	500	6,35	933IN005X040	260	6,45
M 5 x 45	500	6,99	933IN005X045	286	7,09
M 5 x 50	200	7,59	933IN005X050	317	7,86
M 5 x 60	200	8,83	933IN005X060	470	11,65
M 5 x 70	200	10,10	933IN005X070	940	23,30
M 6 x 8	500	3,74	933IN006X008	233	5,78
M 6 x 10	500	4,08	933IN006X010	170	4,21
M 6 x 12	500	4,42	933IN006X012	173	4,29
M 6 x 16	500	5,11	933IN006X016	180	4,46
M 6 x 20	500	5,80	933IN006X020	220	5,45
M 6 x 25	200	6,65	933IN006X025	260	6,45
M 6 x 30	200	7,51	933IN006X030	330	8,18


Stalen zeskanttapbouten Boulons à tête hexagonale

			INOX A2		
Afmeting Dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100
M 6 x 35	200	8,37	933IN006X035	440	10,91
M 6 x 40	200	9,23	933IN006X040	450	11,16
M 6 x 45	200	10,10	933IN006X045	460	11,40
M 6 x 50	200	11,00	933IN006X050	510	12,64
M 6 x 55	200	11,90	933IN006X055	520	12,89
M 6 x 60	200	12,70	933IN006X060	540	13,39
M 6 x 65	200	13,50	933IN006X065	560	13,88
M 6 x 70	200	14,40	933IN006X070	598	14,82
M 6 x 80	200	16,20	933IN006X080	650	16,11
M 6 x 90	200	18,00	933IN006X090	730	18,10
M 8 x 10	500	9,10	933IN008X010	364	9,02
M 8 x 12	500	9,80	933IN008X012	364	9,02
M 8 x 16	200	11,10	933IN008X016	384	9,52
M 8 x 20	200	12,30	933IN008X020	402	9,97
M 8 x 25	200	13,90	933IN008X025	485	12,02
M 8 x 30	200	14,90	933IN008X030	530	13,14
M 8 x 35	200	17,10	933IN008X035	590	14,63
M 8 x 40	200	18,70	933IN008X040	710	17,60
M 8 x 45	200	20,30	933IN008X045	800	19,83
M 8 x 50	200	21,80	933IN008X050	888	22,01
M 8 x 55	200	23,40	933IN008X055	970	24,05
M 8 x 60	100	25,00	933IN008X060	1.010	25,04
M 8 x 65	100	26,60	933IN008X065	1.120	27,76
M 8 x 70	100	28,20	933IN008X070	1.220	30,24
M 8 x 80	100	31,40	933IN008X080	1.340	33,22
M 8 x 90	100	34,60	933IN008X090	1.460	36,19
M 8 x 100	50	37,70	933IN008X100	1.615	40,03
M 10 x 10	200	16,20	933IN010X010	580	14,38
M 10 x 12	200	17,20	933IN010X012	600	14,87
M 10 x 16	200	19,20	933IN010X016	610	15,12
M 10 x 20	200	21,20	933IN010X020	620	15,37
M 10 x 25	200	23,70	933IN010X025	740	18,34
M 10 x 30	200	26,20	933IN010X030	880	21,81
M 10 x 35	200	28,70	933IN010X035	940	23,30
M 10 x 40	200	31,20	933IN010X040	1.040	25,78
M 10 x 45	100	33,70	933IN010X045	1.120	27,76
M 10 x 50	100	36,20	933IN010X050	1.230	30,49
M 10 x 55	100	38,70	933IN010X055	1.242	30,79
M 10 x 60	100	41,30	933IN010X060	1.360	33,71



Stalen zeskanttapbouten Boulons à tête hexagonale

			INOX A2		
Afmeting Dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100
M 10 x 65	100	43,80	933IN010X065	1.450	35,94
M 10 x 70	50	46,30	933IN010X070	1.580	39,15
M 10 x 75	50	48,80	933IN010X075	1.620	40,16
M 10 x 80	50	51,30	933IN010X080	1.760	43,63
M 10 x 90	50	56,30	933IN010X090	1.900	47,10
M 10 x 95	50	61,30	933IN010X095	2.040	50,57
M 10 x 100	50	61,30	933IN010X100	2.180	54,04
M 10 x 110	50	66,40	933IN010X110	2.392	59,30
M 10 x 120	50	71,40	933IN010X120	2.620	64,95
M 10 x 130	25	76,40	933IN010X130	2.720	67,43
M 12 x 20	200	31,00	933IN012X020	815	20,20
M 12 x 25	200	34,10	933IN012X025	996	24,69
M 12 x 30	200	37,70	933IN012X030	1.080	26,77
M 12 x 35	200	41,30	933IN012X035	1.200	29,75
M 12 x 40	200	44,90	933IN012X040	1.310	32,47
M 12 x 45	200	48,50	933IN012X045	1.420	35,20
M 12 x 50	200	52,00	933IN012X050	1.520	37,68
M 12 x 55	100	55,60	933IN012X055	1.680	41,65
M 12 x 60	100	58,20	933IN012X060	1.710	42,39
M 12 x 65	100	62,80	933IN012X065	1.850	45,86
M 12 x 70	100	66,40	933IN012X070	2.080	51,56
M 12 x 80	100	73,60	933IN012X080	2.380	59,00
M 12 x 90	50	80,80	933IN012X090	2.650	65,69
M 12 x 100	50	88,00	933IN012X100	2.950	73,13
M 12 x 110	50	95,20	933IN012X110	3.982	98,71
M 12 x 120	50	102,00	933IN012X120	5.427	134,53
M 12 x 130	25	109,00	933IN012X130	6.831	169,34
M 12 x 140	25	116,00	933IN012X140	8.235	204,14
M 12 x 150	25	123,00	933IN012X150	9.230	228,81
M 12 x 160	25	130,00	933IN012X160	9.420	233,52
M 12 x 180	25	144,00	933IN012X180	9.850	244,18
M 14 x 25	100	53,00	933IN014X025	3.690	91,47
M 14 x 30	100	57,90	933IN014X030	1.998	49,53
M 14 x 35	100	62,90	933IN014X035	2.156	53,45
M 14 x 40	100	67,90	933IN014X040	2.324	57,61
M 14 x 45	100	72,90	933IN014X045	2.492	61,78
M 14 x 50	100	77,90	933IN014X050	2.604	64,55
M 14 x 55	50	82,80	933IN014X055	2.800	69,41
M 14 x 60	50	87,80	933IN014X060	2.898	71,84


Stalen zeskanttapbouten Boulons à tête hexagonale

			INOX A2		
Afmeting Dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100
M 14 x 70	50	97,90	933IN014X070	3.668	90,93
M 14 x 80	50	107,00	933IN014X080	3.850	95,44
M 14 x 90	50	117,00	933IN014X090	4.088	101,34
M 14 x 100	25	127,00	933IN014X100	4.680	116,01
M 14 x 110		137,00	933IN014X110	5.110	126,67
M 16 x 30	50	76,90	933IN016X030	2.340	58,01
M 16 x 35	50	83,50	933IN016X035	2.480	61,48
M 16 x 40	50	90,20	933IN016X040	2.610	64,70
M 16 x 45	50	97,10	933IN016X045	2.780	68,91
M 16 x 50	50	103,00	933IN016X050	2.920	72,38
M 16 x 55	50	110,00	933IN016X055	3.260	80,81
M 16 x 60	25	117,00	933IN016X060	3.320	82,30
M 16 x 70	25	130,00	933IN016X070	4.060	100,64
M 16 x 80	25	144,00	933IN016X080	4.180	103,62
M 16 x 90	25	157,00	933IN016X090	4.510	111,80
M 16 x 100	25	170,00	933IN016X100	4.720	117,01
M 18 x 40	50	120,00	933IN018X040	5.456	135,25
M 18 x 45	50	128,00	933IN018X045	5.790	143,53
M 18 x 50	50	136,00	933IN018X050	5.885	145,89
M 18 x 60	25	153,00	933IN018X060	6.224	154,29
M 18 x 70	25	169,00	933IN018X070	6.864	170,15
M 18 x 80	25	186,00	933IN018X080	9.010	223,35
M 18 x 90	25	202,00	933IN018X090	10.120	250,87
M 18 x 100	25	218,00	933IN018X100	10.512	260,59
M 18 x 110	25	235,00	933IN018X110	14.266	353,64
M 20 x 40	50	155,00	933IN020X040	4.320	107,09
M 20 x 50	25	176,00	933IN020X050	4.920	121,96
M 20 x 60	25	196,00	933IN020X060	5.460	135,35
M 20 x 70	25	217,00	933IN020X070	6.045	149,85
M 20 x 80	25	238,00	933IN020X080	6.807	168,74
M 20 x 90	25	258,00	933IN020X090	7.382	182,99
M 20 x 100	25	279,00	933IN020X100	8.957	222,04
M 22 x 80	25	294,00	933IN022X080	17.287	428,53
M 24 x 50	25	274,00	933IN024X050	8.680	215,17
M 24 x 60	25	304,00	933IN024X060	9.282	230,09
M 24 x 70	25	334,00	933IN024X070	10.160	251,86


Laagbolkopschroef met binnenzeskant via à tête bombée à six pans creux



ISO/EN 7380


			INOX A2		
Afmeting Dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100
M 5 x 16	200	3,01	7380IN005X016	245	6,07
M 5 x 20	200	3,63	7380IN005X020	245	6,07
M 5 x 25	200	4,40	7380IN005X025	254	6,30
M 5 x 30	200	5,13	7380IN005X030	260	6,45
M 6 x 8	200	3,00	7380IN006X008	260	6,45
M 6 x 10	200	3,15	7380IN006X010	270	6,69
M 6 x 12	200	3,43	7380IN006X012	280	6,94
M 6 x 16	200	4,00	7380IN006X016	290	7,19
M 6 x 20	200	4,57	7380IN006X020	330	8,18
M 6 x 25	200	5,28	7380IN006X025	340	8,43
M 6 x 30	200	6,00	7380IN006X030	365	9,05
M 6 x 35	200	6,70	7380IN006X035	402	9,97
M 6 x 40	200	7,41	7380IN006X040	560	13,88
M 6 x 50	200	8,83	7380IN006X050	790	19,58
M 8 x 16	200	8,76	7380IN008X016	360	8,92
M 8 x 20	200	10,36	7380IN008X020	490	12,15
M 8 x 25	200	12,36	7380IN008X025	560	13,88
M 8 x 30	200	14,36	7380IN008X030	866	21,47
M 8 x 35	200	16,36	7380IN008X035	1.114	27,62
M 8 x 40	200	18,36	7380IN008X040	1.380	34,21
M 8 x 50	200	22,36	7380IN008X050	1.480	36,69
M 8 x 60	200	26,36	7380IN008X060	1.820	45,12
M 8 x 70	200	28,36	7380IN008X070	2.698	66,88
M 8 x 80	200	30,36	7380IN008X080	3.014	74,72
M 8 x 90	200	32,36	7380IN008X090	3.180	78,83
M 8 x 100	200	34,36	7380IN008X100	3.610	89,49
M 10 x 25	200	18,80	7380IN010X025	1.760	43,63
M 10 x 30	200	21,30	7380IN010X030	1.863	46,18
M 10 x 35	100	23,80	7380IN010X035	2.047	50,74
M 10 x 40	100	26,30	7380IN010X040	2.158	53,50
M 10 x 45	100	28,80	7380IN010X045	2.369	58,73

**Laagbolkopschroef met binnenzeskant
via à tête bombée à six pans creux**


			INOX A2		
Afmeting Dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100
M 10 x 50	100	31,30	7380IN010X050	2.426	60,14
M 10 x 60	100	36,30	7380IN010X060	3.777	93,63
M 12 x 35	100	35,50	7380IN012X035	3.343	82,87

Binnenzeskantbouten met verzonken kop


Vis à tête fraisée à six pans creux




DIN 7991
ISO/EN 2359

			INOX A2		
Afmeting Dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100
M 5 x 6	200	1,35	7991IN005X006	345	8,55
M 5 x 8	200	1,60	7991IN005X008	175	4,34
M 5 x 10	200	1,85	7991IN005X010	148	3,67
M 5 x 12	200	2,10	7991IN005X012	148	3,67
M 5 x 16	200	2,59	7991IN005X016	148	3,67
M 5 x 20	200	3,09	7991IN005X020	180	4,46
M 5 x 25	200	3,71	7991IN005X025	196	4,86
M 5 x 30	200	4,33	7991IN005X030	206	5,11
M 6 x 10	200	2,70	7991IN006X010	189	4,69
M 6 x 12	200	3,05	7991IN006X012	187	4,64
M 6 x 16	200	3,76	7991IN006X016	196	4,86
M 6 x 20	200	4,46	7991IN006X020	205	5,08
M 6 x 25	200	5,34	7991IN006X025	240	5,95
M 6 x 30	200	6,22	7991IN006X030	278	6,89
M 6 x 35	200	7,10	7991IN006X035	330	8,18
M 6 x 40	100	8,83	7991IN006X040	398	9,87
M 6 x 45	100	10,00	7991IN006X045	466	11,55
M 6 x 50	100	11,00	7991IN006X050	534	13,24
M 6 x 60	100	13,13	7991IN006X060	580	14,38
M 6 x 70	100	15,26	7991IN006X070	626	15,52
M 6 x 80	100	17,39	7991IN006X080	690	17,10
M 8 x 16	200	7,35	7991IN008X016	400	9,92
M 8 x 20	200	8,60	7991IN008X020	410	10,16
M 8 x 25	200	10,20	7991IN008X025	520	12,89
M 8 x 30	200	11,70	7991IN008X030	588	14,58
M 8 x 35	200	13,30	7991IN008X035	660	16,36
M 8 x 40	100	14,80	7991IN008X040	725	17,97
M 8 x 45	100	17,40	7991IN008X045	870	21,57
M 8 x 50	100	19,90	7991IN008X050	960	23,80
M 8 x 55	100	22,40	7991IN008X055	1.150	28,51
M 8 x 60	100	24,80	7991IN008X060	1.280	31,73


Binnenzeskantbouten met verzonken kop
Vis à tête fraisée à six pans creux

			INOX A2		
Afmeting Dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100
M 8 x 70	100	29,70	7991IN008X070	1.410	34,95
M 8 x 80	100	34,60	7991IN008X080	1.790	44,37
M 8 x 90	100	39,50	7991IN008X090	2.987	74,05
M 8 x 100	100	44,40	7991IN008X100	4.184	103,72
M 10 x 16	200	12,10	7991IN010X016	758	18,79
M 10 x 20	200	14,10	7991IN010X020	790	19,58
M 10 x 25	200	16,60	7991IN010X025	822	20,38
M 10 x 30	200	19,10	7991IN010X030	868	21,52
M 10 x 35	200	21,60	7991IN010X035	935	23,18
M 10 x 40	100	24,10	7991IN010X040	1.005	24,91
M 10 x 45	100	27,10	7991IN010X045	1.374	34,06
M 10 x 50	100	30,10	7991IN010X050	1.460	36,19
M 12 x 20	100	21,20	7991IN012X020	1.514	37,53
M 12 x 25	100	24,80	7991IN012X025	1.790	44,37
M 12 x 30	100	28,50	7991IN012X030	1.790	44,37
M 12 x 35	100	32,10	7991IN012X035	1.910	47,35
M 12 x 40	100	35,70	7991IN012X040	2.220	55,03
M 12 x 45	100	39,40	7991IN012X045	2.530	62,72
M 12 x 50	100	43,00	7991IN012X050	2.610	64,70


Binnenzeskantbouten met cilinderkop Vis à tête cylindrique à six pans creux



DIN 912
ISO/EN 4762


			INOX A2		
Afmeting Dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100
M 4 X 6	500	1,60	912IN004X006	168	4,16
M 4 X 10	500	1,80	912IN004X010	172	4,26
M 4 X 12	500	1,95	912IN004X012	175	4,34
M 4 X 16	500	2,25	912IN004X016	183	4,54
M 4 X 20	500	2,65	912IN004X020	198	4,91
M 4 X 25	500	3,15	912IN004X025	236	5,85
M 4 X 30	500	3,65	912IN004X030	265	6,57
M 4 X 35	500	4,15	912IN004X035	355	8,80
M 4 X 40	500	4,65	912IN004X040	380	9,42
M 5 X 10	500	2,70	912IN005X010	186	4,61
M 5 X 12	500	2,95	912IN005X012	180	4,46
M 5 X 16	500	3,45	912IN005X016	200	4,96
M 5 X 20	500	4,01	912IN005X020	220	5,45
M 5 X 25	500	4,78	912IN005X025	250	6,20
M 5 X 30	500	5,55	912IN005X030	290	7,19
M 5 X 35	200	6,32	912IN005X035	330	8,18
M 5 X 40	200	7,09	912IN005X040	355	8,80
M 6 X 8	200	4,33	912IN005X008	250	6,20
M 6 X 10	200	4,70	912IN006X010	210	5,21
M 6 X 12	200	5,07	912IN006X012	198	4,91
M 6 X 16	200	5,75	912IN006X016	210	5,21
M 6 X 20	200	6,53	912IN006X020	239	5,92
M 6 X 25	200	7,59	912IN006X025	311	7,71
M 6 X 30	200	8,30	912IN006X030	330	8,18
M 6 X 35	200	9,91	912IN006X035	420	10,41
M 6 X 40	200	11,00	912IN006X040	462	11,45
M 6 X 45	200	12,10	912IN006X045	504	12,49
M 6 X 50	200	13,20	912IN006X050	546	13,53
M 6 X 55	200	14,30	912IN006X055	588	14,58
M 8 X 12	200	10,90	912IN008X012	390	9,67
M 8 X 16	200	12,10	912IN008X016	431	10,68

Binnenzeskantbouten met cilinderkop
Vis à tête cylindrique à six pans creux

			INOX A2		
Afmeting Dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100
M 8 X 20	200	13,40	912IN008X020	460	11,40
M 8 X 25	200	15,00	912IN008X025	498	12,35
M 8 X 30	200	16,90	912IN008X030	660	16,36
M 8 X 35	200	18,90	912IN008X035	810	20,08
M 8 X 40	200	20,90	912IN008X040	980	24,29
M 8 X 45	200	22,90	912IN008X045	1150	28,51
M 8 X 50	200	24,90	912IN008X050	1220	30,24
M 8 X 60	200	28,90	912IN008X060	1.320	32,72
M 8 X 70	200	33,00	912IN008X070	1.980	49,08
M 8 X 80	200	37,00	912IN008X080	2150	53,30
M 8 X 90	100	41,00	912IN008X090	2.220	55,03
M 8 X 100	100	45,00	912IN008X100	3.150	78,09
M 10 X 20	200	22,90	912IN010X020	788	19,53
M 10 X 25	200	25,40	912IN010X025	890	22,06
M 10 X 30	200	27,90	912IN010X030	940	23,30
M 10 X 35	100	30,40	912IN010X035	1.080	26,77
M 10 X 40	100	32,90	912IN010X040	1.190	29,50
M 10 X 45	100	36,10	912IN010X045	1.310	32,47
M 10 X 50	100	39,30	912IN010X050	1.420	35,20
M 10 X 55	100	42,50	912IN010X055	1.680	41,65
M 10 X 60	100	45,70	912IN010X060	1.800	44,62
M 10 X 70	100	52,10	912IN010X070	2.136	52,95
M 10 X 80	100	58,50	912IN010X080	2.496	61,87
M 10 X 90	50	64,90	912IN010X090	2.856	70,80
M 10 X 100	50	71,20	912IN010X100	3.020	74,86
M 12 X 30	100	39,30	912IN012X030	1.204	29,85
M 12 X 40	100	46,50	912IN012X040	1.551	38,45
M 12 X 50	100	54,50	912IN012X050	1.817	45,04
M 12 X 60	100	63,40	912IN012X060	1.942	48,14
M 12 X 70	50	71,30	912IN012X070	2.187	54,21
M 12 X 80	50	80,20	912IN012X080	2.360	58,50

Slotbout

Corps de boulon à tête bombée avec collet carré



DIN 603
ISO/EN 8677

			INOX A2		
Afmeting Dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100
M 5 x 60	200	10,70	603IN005X060	706	17,50
M 6 x 16	500	6,90	603IN006X016	350	8,68
M 6 x 20	500	7,60	603IN006X020	390	9,67
M 6 x 25	500	8,50	603IN006X025	420	10,41
M 6 x 30	500	9,60	603IN006X030	470	11,65
M 6 x 35	200	10,70	603IN006X035	510	12,64
M 6 x 40	200	11,80	603IN006X040	550	13,63
M 6 x 45	200	12,90	603IN006X045	684	16,96
M 6 x 50	200	14,00	603IN006X050	698	17,30
M 6 x 55	200	15,10	603IN006X055	725	17,97
M 6 x 60	200	16,20	603IN006X060	740	18,34
M 6 x 70	200	18,40	603IN006X070	900	22,31
M 6 x 80	200	20,60	603IN006X080	1033	25,61
M 6 x 90	100	22,80	603IN006X090	1412	35,00
M 8 x 16	200	12,10	603IN008X016	600	14,87
M 8 x 20	200	13,80	603IN008X020	660	16,36
M 8 x 25	200	15,40	603IN008X025	695	17,23
M 8 x 30	200	17,00	603IN008X030	745	18,47
M 8 x 35	200	19,00	603IN008X035	810	20,08
M 8 x 40	200	21,00	603IN008X040	880	21,81
M 8 x 45	200	23,00	603IN008X045	980	24,29
M 8 x 50	200	25,00	603IN008X050	1120	27,76
M 8 x 55	200	26,90	603IN008X055	1220	30,24
M 8 x 60	200	28,90	603IN008X060	1310	32,47
M 8 x 65	200	30,90	603IN008X065	1360	33,71
M 8 x 70	200	32,90	603IN008X070	1460	36,19
M 8 x 80	200	36,80	603IN008X080	1800	44,62
M 8 x 90	100	40,80	603IN008X090	2120	52,55
M 8 x 100	100	44,80	603IN008X100	2380	59,00
M 10 x 25	200	25,20	603IN010X025	1120	27,76
M 10 x 30	200	27,70	603IN010X030	1260	31,23

Slotbout

Corps de boulon à tête bombée avec collet carré

Slotbout			INOX A2		
Afmeting Dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100
M 10 x 35	100	30,20	603IN010X035	1380	34,21
M 10 x 40	100	32,70	603IN010X040	1510	37,43
M 10 x 45	100	35,80	603IN010X045	1630	40,41
M 10 x 50	100	38,90	603IN010X050	1780	44,13
M 10 x 55	100	42,00	603IN010X055	1890	46,85
M 10 x 60	100	45,10	603IN010X060	1964	48,69
M 10 x 70	100	51,30	603IN010X070	2310	57,26
M 10 x 80	100	57,50	603IN010X080	2661	65,96
M 10 x 90	100	63,70	603IN010X090	2990	74,12
M 10 x 100	100	69,90	603IN010X100	3610	89,49