



Pancilinder plaatschroef met kruisgleuf
Vis à tôle tête cylindrique bombée large à empreinte cruciforme




DIN 7981
 ISO/EN 7049

			INOX A2		
Afmeting Dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100
2,9 x 13	500	0,61	7981IN002.9X013	68	1,69
2,9 x 16	500	0,72	7981IN002.9X016	75	1,86
2,9 x 19	500	0,83	7981IN002.9X019	84	2,08
2,9 x 25,4	500	1,05	7981IN002.9X025	94	2,33
3,5 x 9,5	500	0,83	7981IN003.5X009.	58	1,44
3,5 x 13	500	1,00	7981IN003.5X013	77	1,91
3,5 x 16	500	1,17	7981IN003.5X016	84	2,08
3,5 x 19	500	1,33	7981IN003.5X019	92	2,28
3,5 x 25	500	1,66	7981IN003.5X025	99	2,45
3,5 x 32	500	1,98	7981IN003.5X032	118	2,93
3,5 x 38	500	2,30	7981IN003.5X038	135	3,35
3,9 x 13	500	1,27	7981IN003.9X013	82	2,03
3,9 x 16	500	1,48	7981IN003.9X016	89	2,21
3,9 x 19	500	1,67	7981IN003.9X019	96	2,38
3,9 x 22	500	1,86	7981IN003.9X022	104	2,58
3,9 x 25	500	2,10	7981IN003.9X025	116	2,88
3,9 x 32	500	2,50	7981IN003.9X032	135	3,35
3,9 x 38	500	2,90	7981IN003.9X038	154	3,82
4,2 x 6,5	500	1,07	7981IN004.2X006.	80	1,98
4,2 x 9,5	500	1,31	7981IN004.2X009.	68	1,69
4,2 x 13	500	1,55	7981IN004.2X013	87	2,16
4,2 x 16	500	1,78	7981IN004.2X016	96	2,38
4,2 x 19	500	1,99	7981IN004.2X019	106	2,63
4,2 x 25	500	2,46	7981IN004.2X025	116	2,88
4,2 x 32	500	2,93	7981IN004.2X032	123	3,05
4,2 x 38	500	3,40	7981IN004.2X038	164	4,07
4,2 x 45	500	3,80	7981IN004.2X045	216	5,35
4,2 x 50	500	4,35	7981IN004.2X050	264	6,54
4,8 x 9,5	200	1,80	7981IN004.8X009.	100	2,48
4,8 x 13	200	2,06	7981IN004.8X013	120	2,97
4,8 x 16	200	2,38	7981IN004.8X016	140	3,47


Pancilinder plaatschroef met kruisgleuf
Vis à tôle tête cylindrique bombée large à empreinte cruciforme

			INOX A2		
Afmeting Dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100
4,8 x 19	200	2,67	7981IN004.8X019	156	3,87
4,8 x 22	200	2,96	7981IN004.8X022	178	4,41
4,8 x 25	200	3,28	7981IN004.8X025	180	4,46
4,8 x 32	200	3,88	7981IN004.8X032	200	4,96
4,8 x 38	200	4,50	7981IN004.8X038	240	5,95
4,8 x 45	200	5,12	7981IN004.8X045	312	7,73
4,8 x 50	200	5,76	7981IN004.8X050	348	8,63
5,5 x 13	200	2,76	7981IN005.5X013	168	4,16
5,5 x 16	200	3,17	7981IN005.5X016	216	5,35
5,5 x 19	200	3,58	7981IN005.5X019	264	6,54
5,5 x 25	200	4,44	7981IN005.5X025	300	7,44
5,5 x 32	200	5,28	7981IN005.5X032	324	8,03
5,5 x 38	200	6,10	7981IN005.5X038	360	8,92
5,5 x 45	200	6,92	7981IN005.5X045	432	10,71
5,5 x 50	200	7,74	7981IN005.5X050	516	12,79
6,3 x 16	200	5,00	7981IN006.3X016	312	7,73
6,3 x 19	200	5,21	7981IN006.3X019	348	8,63
6,3 x 25	200	5,62	7981IN006.3X025	408	10,11
6,3 x 32	200	6,24	7981IN006.3X032	480	11,90
6,3 x 38	200	6,86	7981IN006.3X038	540	13,39
6,3 x 45	200	7,48	7981IN006.3X045	600	14,87
6,3 x 50	200	8,10	7981IN006.3X050	672	16,66
6,3 x 60	200	9,34	7981IN006.3X060	690	17,10


Verzonken plaatschroef met kruisgleuf Vis à tôle tête fraisée à empreinte cruciforme



DIN 7982
ISO/EN 7050


			INOX A2		
Afmeting Dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100
2,9 x 13	500	0,49	7982IN002.9X013	68	1,69
2,9 x 16	500	0,60	7982IN002.9X016	75	1,86
2,9 x 19	500	0,72	7982IN002.9X019	84	2,08
2,9 x 25	500	0,84	7982IN002.9X025	94	2,33
3,5 x 9,5	500	0,59	7982IN003.5X009.	39	0,97
3,5 x 13	500	0,77	7982IN003.5X013	77	1,91
3,5 x 16	500	0,94	7982IN003.5X016	84	2,08
3,5 x 19	500	1,11	7982IN003.5X019	92	2,28
3,5 x 25	500	1,46	7982IN003.5X025	99	2,45
3,5 x 32	500	1,81	7982IN003.5X032	118	2,93
3,5 x 38	500	2,16	7982IN003.5X038	135	3,35
3,9 x 13	500	0,99	7982IN003.9X013	82	2,03
3,9 x 16	500	1,20	7982IN003.9X016	89	2,21
3,9 x 19	500	1,40	7982IN003.9X019	96	2,38
3,9 x 22	500	1,60	7982IN003.9X022	116	2,88
3,9 x 25	500	1,82	7982IN003.9X025	118	2,93
3,9 x 32	500	2,24	7982IN003.9X032	135	3,35
3,9 x 38	500	2,66	7982IN003.9X038	154	3,82
4,2 x 9,5	500	0,93	7982IN004.2X009.	68	1,69
4,2 x 13	500	1,17	7982IN004.2X013	87	2,16
4,2 x 16	500	1,41	7982IN004.2X016	96	2,38
4,2 x 19	500	1,63	7982IN004.2X019	106	2,63
4,2 x 22	500	1,85	7982IN004.2X022	111	2,75
4,2 x 25	500	2,11	7982IN004.2X025	116	2,88
4,2 x 32	500	2,59	7982IN004.2X032	123	3,05
4,2 x 38	500	3,07	7982IN004.2X038	164	4,07
4,2 x 45	500	3,55	7982IN004.2X045	216	5,35
4,2 x 50	500	4,05	7982IN004.2X050	264	6,54
4,8 x 13	200	1,60	7982IN004.8X013	120	2,97
4,8 x 16	200	1,90	7982IN004.8X016	140	3,47
4,8 x 19	200	2,20	7982IN004.8X019	156	3,87

Verzonken plaatschroef met kruisgleuf
Vis à tête fraisée à empreinte cruciforme


			INOX A2		
Afmeting Dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100
4,8 x 25	200	2,80	7982IN004.8X025	178	4,41
4,8 x 32	200	3,40	7982IN004.8X032	200	4,96
4,8 x 38	200	4,00	7982IN004.8X038	240	5,95
4,8 x 45	200	4,60	7982IN004.8X045	312	7,73
4,8 x 50	200	5,20	7982IN004.8X050	348	8,63
4,8 x 70	200	6,40	7982IN004.8X070	408	10,11
5,5 x 13	200	2,60	7982IN005.5X013	168	4,16
5,5 x 16	200	2,90	7982IN005.5X016	216	5,35
5,5 x 19	200	3,20	7982IN005.5X019	264	6,54
5,5 x 25	200	3,80	7982IN005.5X025	300	7,44
5,5 x 32	200	4,40	7982IN005.5X032	324	8,03
5,5 x 38	200	5,20	7982IN005.5X038	360	8,92
5,5 x 45	200	5,90	7982IN005.5X045	432	10,71
5,5 x 50	200	6,50	7982IN005.5X050	516	12,79
6,3 x 16	200	3,30	7982IN006.3X016	312	7,73
6,3 x 19	200	3,70	7982IN006.3X019	348	8,63
6,3 x 25	200	4,65	7982IN006.3X025	408	10,11
6,3 x 32	200	5,60	7982IN006.3X032	480	11,90
6,3 x 38	200	6,55	7982IN006.3X038	540	13,39
6,3 x 45	200	7,50	7982IN006.3X045	600	14,87
6,3 x 50	200	8,45	7982IN006.3X050	672	16,66

Cilinderschroef met zaaggleuf


Vis à tête cylindrique fendue




DIN 84
ISO/EN 1207

			INOX A2		
Afmeting Dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100
M 6 x 12	200	4,46	84IN006X012	220	5,45
M 6 x 16	200	4,80	84IN006X016	236	5,85
M 6 x 20	200	5,40	84IN006X020	245	6,07
M 6 x 25	200	6,69	84IN006X025	252	6,25
M 6 x 30	200	7,55	84IN006X030	278	6,89
M 6 x 35	200	8,41	84IN006X035	290	7,19
M 6 x 40	200	9,26	84IN006X040	360	8,92
M 6 x 45	200	10,12	84IN006X045	375	9,30
M 6 x 50	200	10,98	84IN006X050	440	10,91
M 6 x 55	200	11,84	84IN006X055	480	11,90
M 6 x 60	200	12,69	84IN006X060	480	11,90
M 6 x 65	200	13,54	84IN006X065	1.085	26,90
M 8 x 20	200	11,41	84IN008X020	500	12,39
M 8 x 25	200	12,97	84IN008X025	580	14,38
M 8 x 30	200	14,53	84IN008X030	620	15,37
M 8 x 35	200	16,08	84IN008X035	730	18,10
M 8 x 40	200	17,64	84IN008X040	810	20,08
M 8 x 50	200	20,75	84IN008X050	900	22,31
M 8 x 60	100	23,86	84IN008X060	1.160	28,76
M 10 x 20	100	18,60	84IN010X020	1.310	32,47
M 10 x 30	100	23,60	84IN010X030	1.689	41,87


Verzonken schroef met zaaggleuf Vis à tête fraisée fendue




DIN 963
ISO/EN 2009

			INOX A2		
Afmeting Dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100
M 3 x 6	200	0,38	963IN003X006	65	1,61
M 3 x 8	200	0,47	963IN003X008	68	1,69
M 3 x 10	200	0,56	963IN003X010	71	1,76
M 3 x 12	200	0,64	963IN003X012	77	1,91
M 3 x 16	200	0,82	963IN003X016	82	2,03
M 3 x 20	200	1,00	963IN003X020	93	2,31
M 3 x 25	200	1,22	963IN003X025	115	2,85
M 3 x 30	200	1,44	963IN003X030	142	3,52
M 4 x 8	200	0,90	963IN004X008	71	1,76
M 4 x 10	200	1,06	963IN004X010	72	1,78
M 4 x 12	200	1,22	963IN004X012	74	1,83
M 4 x 16	200	1,53	963IN004X016	99	2,45
M 4 x 20	200	1,84	963IN004X020	106	2,63
M 4 x 25	200	2,22	963IN004X025	138	3,42
M 4 x 30	200	2,61	963IN004X030	160	3,97
M 4 x 35	200	2,99	963IN004X035	172	4,26
M 4 x 40	200	3,36	963IN004X040	174	4,31
M 5 x 8	200	1,45	963IN005X008	124	3,07
M 5 x 10	200	1,70	963IN005X010	129	3,20
M 5 x 12	200	1,95	963IN005X012	130	3,22
M 5 x 16	200	2,44	963IN005X016	142	3,52
M 5 x 20	200	2,94	963IN005X020	183	4,54
M 5 x 25	200	3,55	963IN005X025	230	5,70
M 5 x 30	200	4,16	963IN005X030	296	7,34
M 5 x 35	200	4,76	963IN005X035	340	8,43
M 5 x 40	200	5,39	963IN005X040	342	8,48
M 5 x 45	200	6,02	963IN005X045	350	8,68
M 5 x 50	200	6,65	963IN005X050	366	9,07
M 5 x 60	200	7,91	963IN005X060	514	12,74
M 6 x 10	200	2,54	963IN006X010	199	4,93
M 6 x 12	200	2,89	963IN006X012	204	5,06


Verzonken schroef met zaaggleuf Vis à tête fraisée fendue

			INOX A2		
Afmeting Dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100
M 6 x 16	200	3,61	963IN006X016	260	6,45
M 6 x 20	200	4,31	963IN006X020	290	7,19
M 6 x 25	200	5,19	963IN006X025	316	7,83
M 6 x 30	200	6,08	963IN006X030	388	9,62
M 6 x 35	200	6,96	963IN006X035	463	11,48
M 6 x 40	200	7,84	963IN006X040	472	11,70
M 6 x 45	200	8,73	963IN006X045	482	11,95
M 6 x 50	200	9,61	963IN006X050	520	12,89
M 6 x 55	200	10,49	963IN006X055	565	14,01
M 6 x 60	100	11,37	963IN006X060	580	14,38
M 6 x 65	100	12,25	963IN006X065	620	15,37
M 6 x 70	100	13,13	963IN006X070	660	16,36
M 8 x 12	200	5,67	963IN008X012	345	8,55
M 8 x 16	200	6,94	963IN008X016	427	10,59
M 8 x 20	200	8,21	963IN008X020	481	11,92
M 8 x 25	200	9,79	963IN008X025	520	12,89
M 8 x 30	200	11,40	963IN008X030	570	14,13
M 8 x 35	200	13,00	963IN008X035	687	17,03
M 8 x 40	200	14,60	963IN008X040	745	18,47
M 8 x 45	200	16,20	963IN008X045	840	20,82
M 8 x 50	100	17,80	963IN008X050	881	21,84
M 8 x 60	100	21,00	963IN008X060	1.052	26,08
M 8 x 70	100	24,20	963IN008X070	1.317	32,65
M 10 x 25	200	16,10	963IN010X025	962	23,85
M 10 x 30	200	18,60	963IN010X030	1.029	25,51
M 10 x 35	200	21,10	963IN010X035	1.417	35,13
M 10 x 40	200	23,60	963IN010X040	1.516	37,58
M 10 x 50	100	28,60	963IN010X050	1.674	41,50
M 10 x 60	100	33,70	963IN010X060	1.824	45,22
M 10 x 70	100	38,80	963IN010X070	1.945	48,22


Verzonken schroef met kruisgleuf Vis à tête fraisée à empreinte cruciforme



DIN 965
ISO/EN 7046


			INOX A2		
Afmeting Dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100
M 3 x 16	500	0,82	965IN003X016	48	1,19
M 4 x 8	500	0,90	965IN004X008	68	1,69
M 4 x 10	500	1,06	965IN004X010	63	1,56
M 4 x 12	500	1,22	965IN004X012	66	1,64
M 4 x 16	500	1,53	965IN004X016	70	1,74
M 4 x 20	500	1,84	965IN004X020	86	2,13
M 4 x 25	500	2,22	965IN004X025	102	2,53
M 4 x 30	500	2,61	965IN004X030	140	3,47
M 4 x 35	500	2,99	965IN004X035	159	3,94
M 4 x 40	500	3,36	965IN004X040	190	4,71
M 4 x 60	500	4,86	965IN004X060	292	7,24
M 5 x 8	500	1,45	965IN005X008	94	2,33
M 5 x 10	500	1,70	965IN005X010	98	2,43
M 5 x 12	500	1,95	965IN005X012	98	2,43
M 5 x 16	500	2,44	965IN005X016	120	2,97
M 5 x 20	500	2,94	965IN005X020	150	3,72
M 5 x 25	500	3,55	965IN005X025	189	4,69
M 5 x 30	500	4,16	965IN005X030	235	5,83
M 5 x 35	500	4,76	965IN005X035	285	7,06
M 5 x 40	500	5,39	965IN005X040	312	7,73
M 5 x 45	200	6,65	965IN005X045	340	8,43
M 5 x 50	200	6,65	965IN005X050	400	9,92
M 5 x 60	200	7,91	965IN005X060	432	10,71
M 5 x 65	200	8,40	965IN005X065	498	12,35
M 5 x 70	200	9,17	965IN005X070	512	12,69
M 5 x 80	200	10,71	965IN005X080	620	15,37
M 6 x 10	200	2,54	965IN006X010	148	3,67
M 6 x 12	200	2,89	965IN006X012	160	3,97
M 6 x 16	200	3,61	965IN006X016	196	4,86
M 6 x 20	200	4,31	965IN006X020	232	5,75
M 6 x 25	200	5,19	965IN006X025	260	6,45

Verzonken schroef met kruisgleuf
Vis à tête fraisée à empreinte cruciforme


			INOX A2		
Afmeting Dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100
M 6 x 30	200	6,08	965IN006X030	280	6,94
M 6 x 35	200	6,96	965IN006X035	320	7,93
M 6 x 40	200	7,84	965IN006X040	348	8,63
M 6 x 45	200	8,73	965IN006X045	360	8,92
M 6 x 50	200	9,61	965IN006X050	390	9,67
M 6 x 55	200	10,49	965IN006X055	540	13,39
M 6 x 60	200	11,37	965IN006X060	595	14,75
M 6 x 70	200	13,13	965IN006X070	780	19,34

Houtdraadbouten

Vis à bois à tête hexagonale




DIN 571
ISO/EN 2260

			INOX A2		
Afmeting Dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100
d 5 x 40	200	5,82	571IN005X040	540	13,39
d 5 x 45	200	6,43	571IN005X045	590	14,63
d 5 x 50	200	7,03	571IN005X050	620	15,37
d 5x 60	200	8,24	571IN005X060	650	16,11
d 5 x 70	200	9,45	571IN005X070	680	16,86
d 6 x 30	200	6,62	571IN006X030	320	7,93
d 6 x 35	200	7,42	571IN006X035	334	8,28
d 6 x 40	200	8,22	571IN006X040	420	10,41
d 6 x 45	200	8,94	571IN006X045	556	13,78
d 6 x 50	200	9,64	571IN006X050	580	14,38
d 6 x 60	200	11,20	571IN006X060	680	16,86
d 6 x 70	200	12,60	571IN006X070	760	18,84
d 6 x 80	200	14,00	571IN006X080	790	19,58
d 7 x 40	200	12,13	571IN007X040	558	13,83
d 7 x 50	200	13,64	571IN007X050	847	21,00
d 7 x 60	200	15,15	571IN007X060	1136	28,16
d 7 x 70	100	19,33	571IN007X070	1425	35,32
d 8 x 30	200	12,90	571IN008X030	650	16,11
d 8 x 35	200	14,20	571IN008X035	672	16,66
d 8 x 40	200	15,60	571IN008X040	710	17,60
d 8 x 45	200	16,90	571IN008X045	748	18,54
d 8 x 50	200	18,20	571IN008X050	950	23,55
d 8 x 60	200	20,90	571IN008X060	1160	28,76
d 8 x 70	200	23,60	571IN008X070	1360	33,71
d 8 x 80	100	26,50	571IN008X080	1.613	39,99
d 8 x 90	100	29,40	571IN008X090	1820	45,12
d 8 x 100	100	32,00	571IN008X100	1954	48,44
d 8 x 110	100	34,60	571IN008X110	2110	52,31
d 8 x 120	100	37,20	571IN008X120	2185	54,16
d 10 x 50	100	32,10	571IN010X050	1610	39,91
d 10 x 55	100	34,30	571IN010X055	1841	45,64

Houtdraadbouten


Vis à bois à tête hexagonale

			INOX A2		
Afmeting Dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100
d 10 x 60	100	36,50	571IN010X060	1.908	47,30
d 10 x 70	100	40,70	571IN010X070	2120	52,55
d 10 x 80	100	45,20	571IN010X080	2260	56,02
d 10 x 90	100	49,90	571IN010X090	2400	59,49
d 10 x 100	100	54,60	571IN010X100	2640	65,44
d 10 x 110	50	59,30	571IN010X110	2910	72,14
d 10 x 120	50	64,00	571IN010X120	3860	95,69
d 10 x 130	50	68,70	571IN010X130	4.810	119,24
d 10 x 140	50	73,40	571IN010X140	5.760	142,79
d 10 x 150	50	78,10	571IN010X150	6710	166,34
d 10 x 160	50	82,80	571IN010X160	7.624	188,99


Spaanplaatschroeven verzonken kop Pozidriv Vis pour agglo tête fraisée Pozidriv



ISO/EN

			INOX A2		
Afmeting Dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100
3,0 x 20	500	0,65	SPSIN003.0X020	88	2,18
3,0 x 25	500	0,81	SPSIN003.0X025	94	2,33
3,5 x 20	500	0,87	SPSIN003.5X020	96	2,38
3,5 x 25	500	1,05	SPSIN003.5X025	112	2,78
3,5 x 30	500	1,21	SPSIN003.5X030	122	3,02
4,0 x 20	500	1,20	SPSIN004.0X020	104	2,58
4,0 x 25	500	1,41	SPSIN004.0X025	122	3,02
4,0 x 30	500	1,67	SPSIN004.0X030	133	3,30
4,0 x 35	500	1,91	SPSIN004.0X035	156	3,87
4,0 x 40	500	2,15	SPSIN004.0X040	177	4,39
4,0 x 45	200	2,37	SPSIN004.0X045	200	4,96
4,0 x 50	200	2,66	SPSIN004.0X050	208	5,16
4,0 x 60	200	3,13	SPSIN004.0X060	273	6,77
4,5 x 25	200	1,75	SPSIN004.5X025	150	3,72
4,5 x 30	200	2,06	SPSIN004.5X030	153	3,79
4,5 x 35	200	2,41	SPSIN004.5X035	169	4,19
4,5 x 40	200	2,75	SPSIN004.5X040	203	5,03
4,5 x 45	200	2,96	SPSIN004.5X045	221	5,48
4,5 x 50	200	3,17	SPSIN004.5X050	244	6,05
4,5 x 60	200	4,23	SPSIN004.5X060	338	8,38
5,0 x 25	200	2,28	SPSIN005.0X025	177	4,39
5,0 x 30	200	2,61	SPSIN005.0X030	195	4,83
5,0 x 35	200	2,96	SPSIN005.0X035	211	5,23
5,0 x 40	200	3,34	SPSIN005.0X040	231	5,73
5,0 x 45	200	3,73	SPSIN005.0X045	244	6,05
5,0 x 50	200	4,02	SPSIN005.0X050	312	7,73
5,0 x 60	200	4,71	SPSIN005.0X060	360	8,92
5,0 x 70	200	5,51	SPSIN005.0X070	394	9,77
5,0 x 80	200	6,23	SPSIN005.0X080	484	12,00
5,0 x 100	200	7,71	SPSIN005.0X100	543	13,46
6,0 x 40	200	5,00	SPSIN006.0X040	380	9,42


Spaanplaatschroeven verzonken kop Pozidriv
Vis pour agglo tête fraisée Pozidriv

			INOX A2		
Afmeting Dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100
6,0 x 50	200	5,86	SPSIN006.0X050	440	10,91
6,0 x 60	200	7,02	SPSIN006.0X060	482	11,95
6,0 x 70	200	8,08	SPSIN006.0X070	550	13,63
6,0 x 80	200	9,00	SPSIN006.0X080	583	14,45
6,0 x 100	200	11,04	SPSIN006.0X100	759	18,82
6,0 x 120	200	12,76	SPSIN006.0X120	1.125	27,89


Houtdraadbouten met 3 voorgemonteerde sluitringen Tirefonds à 3 rondelles prémontées




DIN 571
ISO/EN 2260

			INOX A2		
Afmeting Dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100
d 7 x 110	25	32,3	571INV007X110	1820	45,11662151

Dopmoeren Ecrous borgnes



DIN 1587
ISO/EN 1618

			INOX A2		
Afmeting Dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100
M 4	200	1,70	1587IN004	610	15,12
M 5	200	2,06	1587IN005	610	15,12
M 6	200	4,66	1587IN006	677	16,78
M 8	200	11,00	1587IN008	942	23,35
M 10	100	20,10	1587IN010	1.770	43,88
M 12	100	28,30	1587IN012	2.692	66,73
M 14	50	41,90	1587IN014	6.250	154,93
M 16	50	54,30	1587IN016	7.608	188,60
M 18	25	95,00	1587IN018	15.858	393,11
M 20	25	104,00	1587IN020	16.548	410,21
M 24	10	216,00	1587IN024	32.568	807,34