




# Vlakke sluitring Rondelle plate




DIN 125A  
ISO/EN 7089

			STAAL / ACIER			VERZINKT / ZINGUÉ		
afmeting dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100	code code	Bef/100 Fb/100	Euro/100 Euro/100
M 3	500	0,12				125AG003	7,-	0,17
M 4	500	0,31				125AG004	10,-	0,25
M 5	500	0,44				125AG005	13,-	0,32
M 6	250	1,02				125AG006	16,-	0,40
M 7	250	1,39				125AG007	34,-	0,84
M 8	250	1,83				125AG008	19,-	0,47
M 10	100	3,57				125AG010	38,-	0,94
M 12	200	6,27				125AG012	47,-	1,17
M 14	100	8,62				125AG014	80,-	1,98
M 16	100	11,30				125AG016	91,-	2,26
M 18	50	14,70				125AG018	140,-	3,47
M 20	50	17,20				125AG020	161,-	3,99
M 22	50	18,30				125AG022	276,-	6,84
M 24	25	32,30				125AG024	339,-	8,40
M 27	25	43,70				125AG027	488,-	12,10
M 30	25	53,60				125AG030	780,-	19,34
M 33	5	77,40				125AG033	1.680,-	41,65
M 36	5	94,30				125AG036	1.984,-	49,18
M 39	5	136,00				125AG039	2.142,-	53,10

**Veerring met vlakke einden**  
**Rondelle elastique sans bec**




DIN 127B  
 ISO/EN 1197B


			STAAL / ACIER			VERZINKT / ZINGUÉ		
afmeting dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100	code code	Bef/100 Fb/100	Euro/100 Euro/100
M 3	500	0,11				127BG003	22,-	0,55
M 4	500	0,18				127BG004	11,-	0,27
M 5	500	0,36				127BG005	13,-	0,32
M 6	250	0,83				127BG006	15,-	0,37
M 8	250	1,60				127BG008	26,-	0,64
M 10	100	2,53				127BG010	48,-	1,19
M 12	200	3,82				127BG012	70,-	1,74
M 14	100	6,01				127BG014	125,-	3,10
M 16	100	8,91				127BG016	145,-	3,59
M 18	50	9,73				127BG018	176,-	4,36
M 20	50	15,20				127BG020	249,-	6,17
M 22	50	16,50				127BG022	344,-	8,53
M 24	25	26,20				127BG024	436,-	10,81
M 27	25	28,70				127BG027	522,-	12,94
M 30	25	44,30				127BG030	955,-	23,67

# Hellingsluitplaat


## Plaquette oblique




DIN 434  
ISO/EN 2272

			STAAL / ACIER			VERZINKT / ZINGUÉ		
afmeting dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100	code code	Bef/100 Fb/100	Euro/100 Euro/100
M 10	100	8,85				434G010	626,-	15,52
M 12	100	18,20				434G012	830,-	20,58
M 14	100	26,10				434G014	906,-	22,46
M 16	50	31,40				434G016	1.082,-	26,82
M 18	50	44,90				434G018	2.420,-	59,99
M 20	25	56,90				434G020	2.798,-	69,36
M 22	25	82,30				434G022	2.980,-	73,87
M 24	25	128,00				434G024	4.444,-	110,16


**Vlakke tandveerring met gesloten buitenvertanding**  
**Rondelle élastiqua à dents extérieures chevauchantes**




DIN 6798A  
 ISO/EN 2453

			STAAL / ACIER			VERZINKT / ZINGUÉ		
afmeting dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100	code code	Bef/100 Fb/100	Euro/100 Euro/100
M 4	500	0,14				6798AG004	16,-	0,40
M 5	500	0,28				6798AG005	21,-	0,52
M 6	250	0,36				6798AG006	26,-	0,64
M 8	250	0,80				6798AG008	47,-	1,17
M 10	100	1,25				6798AG010	68,-	1,69
M 12	200	1,60				6798AG012	108,-	2,68
M 14	100	2,30				6798AG014	168,-	4,16
M 16	100	2,90				6798AG016	197,-	4,88
M 20	50	6,00				6798AG020	331,-	8,21
M 22	50	7,50				6798AG022	447,-	11,08


**Vlakke sluitring voor zware toepassing**  
**Rondelle plate - type lourd**




DIN 7349  
 ISO/EN 2274

			STAAL / ACIER			VERZINKT / ZINGUÉ		
afmeting dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100	code code	Bef/100 Fb/100	Euro/100 Euro/100
M 5	200	2,43				7349G005	77,-	1,91
M 6	200	4,59				7349G006	183,-	4,54
M 8	200	9,15				7349G008	267,-	6,62
M 10	100	12,70				7349G010	316,-	7,83
M 12	100	27,10				7349G012	607,-	15,05
M 14	100	39,60				7349G014	850,-	21,07
M 16	100	48,50				7349G016	1.020,-	25,29
M 20	100	73,40				7349G020	2.550,-	63,21
M 24	100	116,00				7349G024	4.250,-	105,35

**Vlakke carrosseriesluitring**  
**Rondelle carrosserie**




DIN 9021  
 ISO/EN 7093

			STAAL / ACIER			VERZINKT / ZINGUÉ		
			code code	Bef/100 Fb/100	Euro/100 Euro/100	code code	Bef/100 Fb/100	Euro/100 Euro/100
afmeting dimension	verpakking emballage	kg/1000 kg/1000						
M 4	200					9021G004	13,-	0,32
M 5	200					9021G005	28,-	0,69
M 6	200					9021G006	30,-	0,74
M 8	200					9021G008	65,-	1,61
M 10	100					9021G010	106,-	2,63
M 12	100					9021G012	225,-	5,58
M 14	100					9021G014	357,-	8,85
M 16	100					9021G016	416,-	10,31
M 18	100					9021G018	764,-	18,94
M 20	100					9021G020	861,-	21,34
M 24	50					9021G024	2.226,-	55,18
M 30	50					9021G030	8.661,-	214,70


**sluitschelpen ermetic  
rondelles ermetic**




ISO/EN

			STAAL / ACIER			VERZINKT / ZINGUÉ		
afmeting dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100	code code	Bef/100 Fb/100	Euro/100 Euro/100
22/9 mm	500	3,88	EMVL022	132,-	3,27			
30/9 mm	500	5,33	EMVL030	220,-	5,45			

**grote carrosseriesluitring**  
**Rondelle carrosserie large**



ISO/EN

			STAAL / ACIER			VERZINKT / ZINGUÉ		
			code code	Bef/100 Fb/100	Euro/100 Euro/100	code code	Bef/100 Fb/100	Euro/100 Euro/100
afmeting dimension	verpakking emballage	kg/1000 kg/1000						
M 5	500	1,46				KCVL005X024	117,-	2,90
M 6	500	2,79				KCVL006X027	136,-	3,37
M 8	500	6,23				KCVL008X030	153,-	3,79
M 10	200	12,20				KCVL010X035	211,-	5,23
M 14	200	31,60				KCVL014X050	355,-	8,80