



Zelfborende zeskantkraagbouten

Vis auto-perceuse à tête hexagonale à embase cylindrique



DIN 7504 K
ISO/EN

			STAAL / ACIER			VERZINKT / ZINGUÉ		
afmeting dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100	code code	Bef/100 Fb/100	Euro/100 Euro/100
3,5 x 13	500	1,20				7504KG003.5X013	72,-	1,78
3,5 x 16	500	1,40				7504KG003.5X016	76,-	1,88
3,5 x 19	500	1,60				7504KG003.5X019	85,-	2,11
3,5 x 25	500	1,99				7504KG003.5X025	93,-	2,31
3,5 x 32	500	2,38				7504KG003.5X032	104,-	2,58
4,2 x 13	500	1,86				7504KG004.2X013	80,-	1,98
4,2 x 16	500	2,14				7504KG004.2X016	86,-	2,13
4,2 x 19	500	2,39				7504KG004.2X019	91,-	2,26
4,2 x 25	500	2,95				7504KG004.2X025	95,-	2,35
4,2 x 32	500	3,52				7504KG004.2X032	110,-	2,73
4,2 x 38	500	4,08				7504KG004.2X038	131,-	3,25
4,8 x 13	200	2,47				7504KG004.8X013	96,-	2,38
4,8 x 16	200	2,86				7504KG004.8X016	104,-	2,58
4,8 x 19	200	3,20				7504KG004.8X019	114,-	2,83
4,8 x 25	200	3,94				7504KG004.8X025	131,-	3,25
4,8 x 32	200	4,66				7504KG004.8X032	161,-	3,99
4,8 x 38	200	5,40				7504KG004.8X038	184,-	4,56
4,8 x 45	200	6,14				7504KG004.8X045	214,-	5,30
4,8 x 50	200	6,91				7504KG004.8X050	259,-	6,42
5,5 x 19	200	4,30				7504KG005.5X019	189,-	4,69
5,5 x 25	200	5,33				7504KG005.5X025	207,-	5,13
5,5 x 32	200	6,34				7504KG005.5X032	240,-	5,95
5,5 x 38	200	7,32				7504KG005.5X038	306,-	7,59
5,5 x 50	200	9,20				7504KG005.5X050	326,-	8,08
6,3 x 16	200	6,00				7504KG006.3X016	199,-	4,93
6,3 x 19	200	6,25				7504KG006.3X019	206,-	5,11
6,3 x 22	200	6,60				7504KG006.3X022	212,-	5,26
6,3 x 25	200	6,74				7504KG006.3X025	249,-	6,17
6,3 x 32	200	7,49				7504KG006.3X032	320,-	7,93
6,3 x 38	200	8,23				7504KG006.3X038	365,-	9,05
6,3 x 50	200	9,72				7504KG006.3X050	390,-	9,67


Pancilinder plaatschroef met kruisgleuf
Vis à tôle tête cylindrique bombée large à empreinte cruciforme




DIN 7981
 ISO/EN 7049

			STAAL / ACIER			VERZINKT / ZINGUÉ		
afmeting dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100	code code	Bef/100 Fb/100	Euro/100 Euro/100
2,9 x 6,5	500	0,39				7981G002.9X006.4	36,-	0,89
2,9 x 9,5	500	0,49				7981G002.9X009.5	36,-	0,89
2,9 x 13	500	0,61				7981G002.9X012.7	40,-	0,99
2,9 x 16	500	0,72				7981G002.9X015.9	42,-	1,04
2,9 x 19	500	0,83				7981G002.9X019	45,-	1,12
2,9 x 25,4	500	1,05				7981G002.9X025.4	60,-	1,49
3,5 x 6,5	500	0,67				7981G003.5X006.4	41,-	1,02
3,5 x 9,5	500	0,83				7981G003.5X009.5	44,-	1,09
3,5 x 13	500	1,00				7981G003.5X012.7	48,-	1,19
3,5 x 16	500	1,17				7981G003.5X015.9	51,-	1,26
3,5 x 19	500	1,33				7981G003.5X019	58,-	1,44
3,5 x 25	500	1,66				7981G003.5X025.4	64,-	1,59
3,5 x 32	500	1,98				7981G003.5X030	74,-	1,83
3,9 x 9,5	500	1,05				7981G003.9X009.5	54,-	1,34
3,9 x 13	500	1,27				7981G003.9X012.7	58,-	1,44
3,9 x 16	500	1,48				7981G003.9X015.9	63,-	1,56
3,9 x 19	500	1,67				7981G003.9X019	67,-	1,66
3,9 x 25	500	2,10				7981G003.9X025.4	75,-	1,86
3,9 x 32	500	2,50				7981G003.9X030	85,-	2,11
3,9 x 38	500	2,90				7981G003.9X040	98,-	2,43
4,2 x 9,5	500	1,31				7981G004.2X009.5	59,-	1,46
4,2 x 13	500	1,55				7981G004.2X012.7	64,-	1,59
4,2 x 16	500	1,78				7981G004.2X015.9	69,-	1,71
4,2 x 19	500	1,99				7981G004.2X019	73,-	1,81
4,2 x 25	500	2,46				7981G004.2X025.4	84,-	2,08
4,2 x 32	500	2,93				7981G004.2X030	94,-	2,33
4,2 x 38	500	3,40				7981G004.2X038	108,-	2,68
4,2 x 40	500	3,50				7981G004.2X040	115,-	2,85
4,2 x 50	500	4,35				7981G004.2X050.8	130,-	3,22
4,8 x 9,5	200	1,80				7981G004.8X009.5	76,-	1,88
4,8 x 13	200	2,06				7981G004.8X012.7	81,-	2,01

Pancilinder plaatschroef met kruisgleuf
Vis à tôle tête cylindrique bombée large à empreinte cruciforme

			STAAL / ACIER			VERZINKT / ZINGUÉ		
afmeting dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100	code code	Bef/100 Fb/100	Euro/100 Euro/100
4,8 x 16	200	2,38				7981G004.8X015.9	88,-	2,18
4,8 x 19	200	2,67				7981G004.8X019	94,-	2,33
4,8 x 25	200	3,28				7981G004.8X025.4	108,-	2,68
4,8 x 32	200	3,88				7981G004.8X030	121,-	3,00
4,8 x 38	200	4,50				7981G004.8X040	134,-	3,32
4,8 x 50	200	5,76				7981G004.8X050.8	164,-	4,07
5,5 x 16	200	3,17				7981G005.5X015.9	119,-	2,95
5,5 x 19	200	3,58				7981G005.5X019	129,-	3,20
5,5 x 25	200	4,44				7981G005.5X025.4	148,-	3,67
5,5 x 32	200	5,28				7981G005.5X030	165,-	4,09
5,5 x 38	200	6,10				7981G005.5X040	177,-	4,39
6,3 x 16	200	5,00				7981G006.3X016	202,-	5,01
6,3 x 19	200	5,21				7981G006.3X019	210,-	5,21
6,3 x 25	200	5,62				7981G006.3X025	216,-	5,35
6,3 x 32	200	6,24				7981G006.3X032	220,-	5,45
6,3 x 38	200	6,86				7981G006.3X038	240,-	5,95
6,3 x 50	200	8,10				7981G006.3X050	310,-	7,68


Verzonken plaatschroef met kruisgleuf Vis à tôle tête fraisée à empreinte cruciforme



DIN 7982
ISO/EN 7050


			STAAL / ACIER			VERZINKT / ZINGUÉ		
afmeting dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100	code code	Bef/100 Fb/100	Euro/100 Euro/100
2,9 x 6,5	500	0,27				7982G002.9X006.4	33,-	0,82
2,9 x 9,5	500	0,38				7982G002.9X009.5	36,-	0,89
2,9 x 13	500	0,49				7982G002.9X013	39,-	0,97
2,9 x 16	500	0,60				7982G002.9X016	42,-	1,04
2,9 x 19	500	0,72				7982G002.9X019	45,-	1,12
3,5 x 9,5	500	0,59				7982G003.5X009.5	40,-	0,99
3,5 x 13	500	0,77				7982G003.5X013	45,-	1,12
3,5 x 16	500	0,94				7982G003.5X016	50,-	1,24
3,5 x 19	500	1,11				7982G003.5X019	55,-	1,36
3,5 x 25	500	1,46				7982G003.5X025	65,-	1,61
3,5 x 32	500	1,81				7982G003.5X032	75,-	1,86
3,5 x 38	500	2,16				7982G003.5X038	75,-	1,86
3,9 x 13	500	0,99				7982G003.9X012.7	52,-	1,29
3,9 x 16	500	1,20				7982G003.9X015.9	60,-	1,49
3,9 x 19	500	1,40				7982G003.9X019	63,-	1,56
3,9 x 25	500	1,82				7982G003.9X025.4	69,-	1,71
3,9 x 32	500	2,24				7982G003.9X030	80,-	1,98
4,2 x 13	500	1,17				7982G004.2X012.7	60,-	1,49
4,2 x 16	500	1,41				7982G004.2X015.9	62,-	1,54
4,2 x 19	500	1,63				7982G004.2X019	66,-	1,64
4,2 x 25	500	2,11				7982G004.2X025.4	76,-	1,88
4,2 x 32	500	2,59				7982G004.2X030	84,-	2,08
4,2 x 38	500	3,07				7982G004.2X038	99,-	2,45
4,2 x 50	500	4,05				7982G004.2X050.8	126,-	3,12
4,8 x 16	200	1,90				7982G004.8X015.9	78,-	1,93
4,8 x 19	200	2,20				7982G004.8X019	86,-	2,13
4,8 x 25	200	2,80				7982G004.8X025	96,-	2,38
4,8 x 32	200	3,40				7982G004.8X030	112,-	2,78
4,8 x 38	200	4,00				7982G004.8X038	123,-	3,05
4,8 x 50	200	5,20				7982G004.8X050	160,-	3,97
6,3 x 25	200	4,65				7982G006.3X025	178,-	4,41

Verzonken plaatschroef met kruisgleuf
Vis à tôle tête fraisée à empreinte cruciforme


			STAAL / ACIER			VERZINKT / ZINGUÉ		
afmeting dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100	code code	Bef/100 Fb/100	Euro/100 Euro/100
6,3 x 32	200	5,60				7982G006.3X032	195,-	4,83
6,3 x 38	200	6,55				7982G006.3X038	150,-	3,72
6,3 x 50	200	8,45				7982G006.3X050	262,-	6,49

Bolverzonken plaatschroef met kruisgleuf

Vis à tôle tête fraisée bombée à empreinte cruciforme




DIN 7983
ISO/EN 7051


			STAAL / ACIER			VERZINKT / ZINGUÉ		
afmeting dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100	code code	Bef/100 Fb/100	Euro/100 Euro/100
2,9 x 9,5	500	0,47				7983G002.9X009.5	36,-	0,89
2,9 x 13	500	0,58				7983G002.9X012.7	40,-	0,99
2,9 x 16	500	0,70				7983G002.9X015.9	42,-	1,04
2,9 x 19	500	0,80				7983G002.9X019	45,-	1,12
3,5 x 9,5	500	0,75				7983G003.5X009.5	44,-	1,09
3,5 x 13	500	0,90				7983G003.5X012.7	48,-	1,19
3,5 x 16	500	1,06				7983G003.5X015.9	51,-	1,26
3,5 x 19	500	1,21				7983G003.5X019	58,-	1,44
3,5 x 25	500	1,51				7983G003.5X025.4	64,-	1,59
3,5 x 32	500	1,81				7983G003.5X030	74,-	1,83
3,9 x 9,5	500	0,97				7983G003.9X009.5	54,-	1,34
3,9 x 13	500	1,16				7983G003.9X012.7	58,-	1,44
3,9 x 16	500	1,36				7983G003.9X015.9	63,-	1,56
3,9 x 19	500	1,55				7983G003.9X019	67,-	1,66
3,9 x 25	500	1,94				7983G003.9X025.4	75,-	1,86
3,9 x 32	500	2,31				7983G003.9X030	85,-	2,11
3,9 x 38	500	2,67				7983G003.9X040	98,-	2,43
4,2 x 13	500	1,41				7983G004.2X012.7	64,-	1,59
4,2 x 16	500	1,63				7983G004.2X015.9	69,-	1,71
4,2 x 19	500	1,84				7983G004.2X019	73,-	1,81
4,2 x 25	500	2,27				7983G004.2X025.4	84,-	2,08
4,2 x 32	500	2,70				7983G004.2X030	94,-	2,33
4,2 x 38	500	3,13				7983G004.2X038	108,-	2,68
4,2 x 50	500	4,00				7983G004.2X050.8	130,-	3,22
4,8 x 13	200	1,98				7983G004.8X012.7	81,-	2,01
4,8 x 16	200	2,22				7983G004.8X015.9	88,-	2,18
4,8 x 19	200	2,50				7983G004.8X019	94,-	2,33
4,8 x 25	200	3,05				7983G004.8X025.4	108,-	2,68
4,8 x 32	200	3,60				7983G004.8X030	121,-	3,00
4,8 x 38	200	4,12				7983G004.8X040	134,-	3,32
4,8 x 50	200	5,70				7983G004.8X050.8	164,-	4,07

Bolcilinderschroef met kruisgleuf


Vis à tête cylindrique bombée à empreinte cruciforme



DIN 7985
ISO/EN 7045


			STAAL / ACIER			VERZINKT / ZINGUÉ		
afmeting dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100	code code	Bef/100 Fb/100	Euro/100 Euro/100
M 3 x 6	500	0,53				7985G003X006	45,-	1,12
M 3 x 8	500	0,61				7985G003X008	45,-	1,12
M 3 x 10	500	0,70				7985G003X010	48,-	1,19
M 3 x 12	500	0,78				7985G003X012	48,-	1,19
M 3 x 16	500	0,88				7985G003X016	51,-	1,26
M 3 x 20	500	1,18				7985G003X020	54,-	1,34
M 3 x 25	500	1,31				7985G003X025	57,-	1,41
M 3 x 30	500	1,48				7985G003X030	58,-	1,44
M 4 x 6	500	1,29				7985G004X006	57,-	1,41
M 4 x 8	500	1,43				7985G004X008	57,-	1,41
M 4 x 10	500	1,57				7985G004X010	60,-	1,49
M 4 x 12	500	1,71				7985G004X012	63,-	1,56
M 4 x 14	500	1,88				7985G004X014	66,-	1,64
M 4 x 16	500	1,99				7985G004X016	66,-	1,64
M 4 x 18	500	2,13				7985G004X018	69,-	1,71
M 4 x 20	500	2,27				7985G004X020	69,-	1,71
M 4 x 25	500	2,62				7985G004X025	75,-	1,86
M 4 x 30	500	3,07				7985G004X030	81,-	2,01
M 4 x 35	500	3,48				7985G004X035	87,-	2,16
M 4 x 40	500	3,86				7985G004X040	93,-	2,31
M 4 x 50	500	4,62				7985G004X050	104,-	2,58
M 5 x 8	500	2,14				7985G005X008	72,-	1,78
M 5 x 10	500	2,39				7985G005X010	75,-	1,86
M 5 x 12	500	2,61				7985G005X012	81,-	2,01
M 5 x 16	500	3,05				7985G005X016	87,-	2,16
M 5 x 20	500	3,49				7985G005X020	93,-	2,31
M 5 x 25	500	4,04				7985G005X025	99,-	2,45
M 5 x 30	500	4,68				7985G005X030	108,-	2,68
M 5 x 35	500	5,52				7985G005X035	126,-	3,12
M 5 x 40	500	6,25				7985G005X040	135,-	3,35
M 5 x 45	200	6,60				7985G005X045	153,-	3,79

Bolcilinderschroef met kruisgleuf
Vis à tête cylindrique bombée à empreinte cruciforme


			STAAL / ACIER			VERZINKT / ZINGUÉ		
afmeting dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100	code code	Bef/100 Fb/100	Euro/100 Euro/100
M 5 x 50	200	7,50				7985G005X050	165,-	4,09
M 6 x 10	200	3,92				7985G006X010	117,-	2,90
M 6 x 12	200	4,27				7985G006X012	120,-	2,97
M 6 x 16	200	4,99				7985G006X016	129,-	3,20
M 6 x 20	200	5,70				7985G006X020	138,-	3,42
M 6 x 25	200	6,59				7985G006X025	150,-	3,72
M 6 x 30	200	7,49				7985G006X030	162,-	4,02
M 6 x 35	200	8,50				7985G006X035	171,-	4,24
M 6 x 40	200	9,50				7985G006X040	183,-	4,54
M 6 x 50	200	11,30				7985G006X050	222,-	5,50
M 6 x 60	200	13,05				7985G006X060	273,-	6,77
M 6 x 80	200	16,50				7985G006X080	324,-	8,03
M 8 x 16	200	6,36				7985G008X016	207,-	5,13
M 8 x 20	200	7,50				7985G008X020	207,-	5,13

Cilinderschroef met zaaggleuf


Vis à tête cylindrique fendue




DIN 84
ISO/EN 1207

			STAAL / ACIER			VERZINKT / ZINGUÉ		
afmeting dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100	code code	Bef/100 Fb/100	Euro/100 Euro/100
M 3 x 4	500	0,54				84G003X004	22,-	0,55
M 3 x 6	500	0,62				84G003X006	25,-	0,62
M 3 x 8	500	0,70				84G003X008	25,-	0,62
M 3 x 10	500	0,72				84G003X010	26,-	0,64
M 3 x 12	500	0,87				84G003X012	26,-	0,64
M 3 x 16	500	1,04				84G003X016	28,-	0,69
M 3 x 20	500	1,20				84G003X020	30,-	0,74
M 3 x 25	500	1,41				84G003X025	37,-	0,92
M 3 x 30	500	1,62				84G003X030	48,-	1,19
M 3 x 35	500	1,83				84G003X035	53,-	1,31
M 3 x 40	500	2,04				84G003X040	65,-	1,61
M 3 x 50	500	2,45				84G003X050	90,-	2,23
M 4 x 6	500	1,23				84G004X006	32,-	0,79
M 4 x 8	500	1,25				84G004X008	31,-	0,77
M 4 x 10	500	1,53				84G004X010	32,-	0,79
M 4 x 12	500	1,68				84G004X012	33,-	0,82
M 4 x 16	500	1,98				84G004X016	40,-	0,99
M 4 x 20	500	2,31				84G004X020	46,-	1,14
M 4 x 25	500	2,69				84G004X025	51,-	1,26
M 4 x 30	500	3,06				84G004X030	55,-	1,36
M 4 x 35	500	3,44				84G004X035	63,-	1,56
M 4 x 40	500	3,81				84G004X040	72,-	1,78
M 4 x 50	500	4,56				84G004X050	106,-	2,63
M 5 x 6	500	2,14				84G005X006	99,-	2,45
M 5 x 8	500	2,18				84G005X008	99,-	2,45
M 5 x 10	500	2,42				84G005X010	52,-	1,29
M 5 x 12	500	2,66				84G005X012	53,-	1,31
M 5 x 16	500	3,16				84G005X016	58,-	1,44
M 5 x 20	500	3,62				84G005X020	63,-	1,56
M 5 x 25	500	4,22				84G005X025	71,-	1,76
M 5 x 30	500	4,82				84G005X030	76,-	1,88


Cilinderschroef met zaaggleuf Vis à tête cylindrique fendue

			STAAL / ACIER			VERZINKT / ZINGUÉ		
afmeting dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100	code code	Bef/100 Fb/100	Euro/100 Euro/100
M 5 x 35	500	5,42				84G005X035	86,-	2,13
M 5 x 40	500	6,02				84G005X040	94,-	2,33
M 5 x 45	200	6,61				84G005X045	118,-	2,93
M 5 x 50	200	7,21				84G005X050	139,-	3,45
M 5 x 60	200	8,41				84G005X060	195,-	4,83
M 6 x 10	200	4,12				84G006X010	75,-	1,86
M 6 x 12	200	4,46				84G006X012	76,-	1,88
M 6 x 16	200	4,80				84G006X016	79,-	1,96
M 6 x 20	200	5,40				84G006X020	84,-	2,08
M 6 x 25	200	6,69				84G006X025	95,-	2,35
M 6 x 30	200	7,55				84G006X030	104,-	2,58
M 6 x 35	200	8,41				84G006X035	117,-	2,90
M 6 x 40	200	9,26				84G006X040	134,-	3,32
M 6 x 45	200	10,12				84G006X045	153,-	3,79
M 6 x 50	200	10,98				84G006X050	172,-	4,26
M 6 x 60	200	12,69				84G006X060	231,-	5,73
M 8 x 20	200	11,41				84G008X020	180,-	4,46
M 8 x 25	200	12,97				84G008X025	196,-	4,86
M 8 x 30	200	14,53				84G008X030	215,-	5,33
M 8 x 35	200	16,08				84G008X035	240,-	5,95
M 8 x 40	200	17,64				84G008X040	263,-	6,52
M 8 x 50	200	20,75				84G008X050	318,-	7,88
M 8 x 60	100	23,86				84G008X060	392,-	9,72

Verzonken schroef met zaaggleuf Vis à tête fraisée fendue




DIN 963
ISO/EN 2009

			STAAL / ACIER			VERZINKT / ZINGUÉ		
afmeting dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100	code code	Bef/100 Fb/100	Euro/100 Euro/100
M 3 x 10	500	0,56				963G003X010	25,-	0,62
M 3 x 12	500	0,64				963G003X012	25,-	0,62
M 3 x 16	500	0,82				963G003X016	27,-	0,67
M 3 x 20	500	1,00				963G003X020	29,-	0,72
M 3 x 25	500	1,22				963G003X025	35,-	0,87
M 3 x 30	500	1,44				963G003X030	46,-	1,14
M 3 x 40	500	1,88				963G003X040	53,-	1,31
M 3 x 60	500	2,92				963G003X060	120,-	2,97
M 4 x 8	500	0,90				963G004X008	30,-	0,74
M 4 x 10	500	1,06				963G004X010	31,-	0,77
M 4 x 16	500	1,53				963G004X016	39,-	0,97
M 4 x 20	500	1,84				963G004X020	44,-	1,09
M 4 x 25	500	2,22				963G004X025	49,-	1,21
M 4 x 30	500	2,61				963G004X030	53,-	1,31
M 4 x 35	500	2,99				963G004X035	61,-	1,51
M 4 x 40	500	3,36				963G004X040	69,-	1,71
M 4 x 50	500	4,10				963G004X050	102,-	2,53
M 5 x 10	500	1,70				963G005X010	50,-	1,24
M 5 x 12	500	1,95				963G005X012	51,-	1,26
M 5 x 16	500	2,44				963G005X016	56,-	1,39
M 5 x 20	500	2,94				963G005X020	61,-	1,51
M 5 x 25	500	3,55				963G005X025	68,-	1,69
M 5 x 30	200	4,16				963G005X030	74,-	1,83
M 5 x 35	200	4,76				963G005X035	83,-	2,06
M 5 x 40	200	5,39				963G005X040	91,-	2,26
M 5 x 45	200	6,02				963G005X045	109,-	2,70
M 5 x 50	200	6,65				963G005X050	134,-	3,32
M 5 x 60	200	7,91				963G005X060	186,-	4,61
M 6 x 10	500	2,54				963G006X010	73,-	1,81
M 6 x 12	500	2,89				963G006X012	74,-	1,83
M 6 x 16	500	3,61				963G006X016	76,-	1,88


Verzonken schroef met zaagleuf Vis à tête fraisée fendue

			STAAL / ACIER			VERZINKT / ZINGUÉ		
afmeting dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100	code code	Bef/100 Fb/100	Euro/100 Euro/100
M 6 x 20	200	4,31				963G006X020	81,-	2,01
M 6 x 25	200	5,19				963G006X025	92,-	2,28
M 6 x 30	200	6,08				963G006X030	100,-	2,48
M 6 x 35	200	6,96				963G006X035	113,-	2,80
M 6 x 40	200	7,84				963G006X040	129,-	3,20
M 6 x 45	200	8,73				963G006X045	148,-	3,67
M 6 x 50	200	9,61				963G006X050	166,-	4,12
M 6 x 55	200	10,49				963G006X055	195,-	4,83
M 6 x 60	200	11,37				963G006X060	223,-	5,53
M 6 x 80	200	13,13				963G006X080	330,-	8,18
M 8 x 10	500	5,03				963G008X010	331,-	8,21
M 8 x 16	500	6,94				963G008X016	159,-	3,94
M 8 x 20	200	8,21				963G008X020	173,-	4,29
M 8 x 25	200	9,79				963G008X025	189,-	4,69
M 8 x 30	200	11,40				963G008X030	207,-	5,13
M 8 x 35	200	13,00				963G008X035	232,-	5,75
M 8 x 40	200	14,60				963G008X040	254,-	6,30
M 8 x 45	200	16,20				963G008X045	289,-	7,16
M 8 x 50	200	17,80				963G008X050	307,-	7,61
M 8 x 60	100	21,00				963G008X060	378,-	9,37
M 10 x 20	100	13,60				963G010X020	314,-	7,78
M 10 x 25	100	16,10				963G010X025	316,-	7,83
M 10 x 30	100	18,60				963G010X030	321,-	7,96
M 10 x 40	100	23,60				963G010X040	351,-	8,70
M 10 x 50	100	28,60				963G010X050	433,-	10,73
M 16 x 40	50	67,80				963G016X040	446,-	11,06


Verzonken schroef met kruisgleuf Vis à tête fraisée à empreinte cruciforme



DIN 965
ISO/EN 7046


			STAAL / ACIER			VERZINKT / ZINGUÉ		
afmeting dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100	code code	Bef/100 Fb/100	Euro/100 Euro/100
M 3 x 6	500	0,38				965G003X006	45,-	1,12
M 3 x 8	500	0,47				965G003X008	45,-	1,12
M 3 x 10	500	0,56				965G003X010	45,-	1,12
M 3 x 12	500	0,64				965G003X012	45,-	1,12
M 3 x 16	500	0,82				965G003X016	48,-	1,19
M 3 x 20	500	1,00				965G003X020	51,-	1,26
M 3 x 25	500	1,22				965G003X025	54,-	1,34
M 3 x 30	500	1,44				965G003X030	45,-	1,12
M 3 x 40	500	1,88				965G003X040	60,-	1,49
M 3 x 60	500	2,92				965G003X060	90,-	2,23
M 4 x 8	500	0,90				965G004X008	51,-	1,26
M 4 x 10	500	1,06				965G004X010	51,-	1,26
M 4 x 12	500	1,22				965G004X012	51,-	1,26
M 4 x 16	500	1,53				965G004X016	52,-	1,29
M 4 x 20	500	1,84				965G004X020	60,-	1,49
M 4 x 25	500	2,22				965G004X025	66,-	1,64
M 4 x 30	500	2,61				965G004X030	72,-	1,78
M 4 x 40	500	3,36				965G004X040	84,-	2,08
M 4 x 60	500	4,86				965G004X060	170,-	4,21
M 5 x 10	500	1,70				965G005X010	66,-	1,64
M 5 x 12	500	1,95				965G005X012	69,-	1,71
M 5 x 16	500	2,44				965G005X016	75,-	1,86
M 5 x 20	500	2,94				965G005X020	81,-	2,01
M 5 x 25	500	3,55				965G005X025	90,-	2,23
M 5 x 30	500	4,16				965G005X030	105,-	2,60
M 5 x 35	500	4,76				965G005X035	120,-	2,97
M 5 x 40	500	5,39				965G005X040	135,-	3,35
M 5 x 50	500	6,65				965G005X050	165,-	4,09
M 5 x 60	500	7,91				965G005X060	195,-	4,83
M 6 x 10	200	2,54				965G006X010	105,-	2,60
M 6 x 12	200	2,89				965G006X012	108,-	2,68

Verzonken schroef met kruisgleuf
Vis à tête fraisée à empreinte cruciforme


			STAAL / ACIER			VERZINKT / ZINGUÉ		
afmeting dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100	code code	Bef/100 Fb/100	Euro/100 Euro/100
M 6 x 16	200	3,61				965G006X016	117,-	2,90
M 6 x 20	200	4,31				965G006X020	126,-	3,12
M 6 x 25	200	5,19				965G006X025	135,-	3,35
M 6 x 30	200	6,08				965G006X030	147,-	3,64
M 6 x 35	200	6,96				965G006X035	155,-	3,84
M 6 x 40	200	7,84				965G006X040	168,-	4,16
M 6 x 45	200	8,73				965G006X045	179,-	4,44
M 6 x 50	200	9,61				965G006X050	189,-	4,69
M 6 x 60	200	11,37				965G006X060	264,-	6,54
M 8 x 16	200	6,94				965G008X016	222,-	5,50
M 8 x 20	200	8,21				965G008X020	222,-	5,50
M 8 x 25	200	9,79				965G008X025	243,-	6,02
M 8 x 30	200	11,40				965G008X030	297,-	7,36
M 8 x 35	200	13,00				965G008X035	351,-	8,70
M 8 x 40	200	14,60				965G008X040	405,-	10,04
M 8 x 45	200	16,20				965G008X045	459,-	11,38
M 8 x 50	200	17,80				965G008X050	513,-	12,72
M 8 x 60	200	21,00				965G008X060	621,-	15,39

Houtdraadbouten

Vis à bois à tête hexagonale




DIN 571
ISO/EN 2260

			STAAL / ACIER			VERZINKT / ZINGUÉ		
afmeting dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100	code code	Bef/100 Fb/100	Euro/100 Euro/100
d 5 x 25	200	4,02				571G005x025	63,-	1,56
d 5 x 30	200	4,62				571G005x030	73,-	1,81
d 5 x 35	200	5,12				571G005x035	84,-	2,08
d 5 x 40	200	5,82				571G005x040	89,-	2,21
d 5 x 45	200	6,43				571G005x045	95,-	2,35
d 5 x 50	200	7,03				571G005x050	98,-	2,43
d 5 x 60	200	8,24				571G005x060	127,-	3,15
d 6 x 16	200	4,22				571G006x016	55,-	1,36
d 6 x 20	200	5,02				571G006x020	60,-	1,49
d 6 x 25	200	5,82				571G006x025	80,-	1,98
d 6 x 30	200	6,62				571G006x030	74,-	1,83
d 6 x 35	200	7,42				571G006x035	85,-	2,11
d 6 x 40	200	8,22				571G006x040	91,-	2,26
d 6 x 45	200	8,94				571G006x045	100,-	2,48
d 6 x 50	200	9,64				571G006x050	104,-	2,58
d 6 x 55	200	10,50				571G006x055	112,-	2,78
d 6 x 60	100	11,20				571G006x060	117,-	2,90
d 6 x 70	200	12,60				571G006x070	126,-	3,12
d 6 x 80	200	14,00				571G006x080	142,-	3,52
d 6 x 90	100	15,40				571G006x090	175,-	4,34
d 6 x 100	100	16,80				571G006x100	208,-	5,16
d 6 x 110	100	18,20				571G006x110	224,-	5,55
d 6 x 120	100	19,60				571G006x120	269,-	6,67
d 7 x 35	200	11,02				571G007x035	159,-	3,94
d 7 x 40	200	12,13				571G007x040	148,-	3,67
d 7 x 50	200	13,64				571G007x050	162,-	4,02
d 7 x 80	100	19,33				571G007x080	220,-	5,45
d 7 x 110	100	25,02				571G007x110	265,-	6,57
d 8 x 25	200	11,50				571G008x025	122,-	3,02
d 8 x 30	200	12,90				571G008x030	127,-	3,15
d 8 x 35	200	14,20				571G008x035	148,-	3,67


Houtdraadbouten

Vis à bois à tête hexagonale


			STAAL / ACIER			VERZINKT / ZINGUÉ		
afmeting dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100	code code	Bef/100 Fb/100	Euro/100 Euro/100
d 8 x 40	200	15,60				571G008x040	155,-	3,84
d 8 x 45	200	16,90				571G008x045	210,-	5,21
d 8 x 50	200	18,20				571G008x050	179,-	4,44
d 8 x 55	200	19,60				571G008x055	196,-	4,86
d 8 x 60	200	20,90				571G008x060	206,-	5,11
d 8 x 65	200	22,20				571G008x065	223,-	5,53
d 8 x 70	200	23,60				571G008x070	233,-	5,78
d 8 x 80	100	26,50				571G008x080	261,-	6,47
d 8 x 90	100	29,40				571G008x090	297,-	7,36
d 8 x 100	100	32,00				571G008x100	315,-	7,81
d 8 x 110	100	34,60				571G008x110	360,-	8,92
d 8 x 120	100	37,20				571G008x120	420,-	10,41
d 8 x 130	100	39,80				571G008x130	510,-	12,64
d 8 x 140	50	42,40				571G008x140	549,-	13,61
d 8 x 150	50	45,00				571G008x150	560,-	13,88
d 8 x 180	50	52,80				571G008x180	1.272,-	31,53
d 10 x 40	100	28,00				571G010x040	312,-	7,73
d 10 x 45	100	30,00				571G010x045	315,-	7,81
d 10 x 50	100	32,10				571G010x050	317,-	7,86
d 10 x 55	100	34,30				571G010x055	332,-	8,23
d 10 x 60	100	36,50				571G010x060	360,-	8,92
d 10 x 70	100	40,70				571G010x070	402,-	9,97
d 10 x 80	100	45,20				571G010x080	446,-	11,06
d 10 x 90	100	49,90				571G010x090	492,-	12,20
d 10 x 100	100	54,60				571G010x100	594,-	14,72
d 10 x 110	50	59,30				571G010x110	680,-	16,86
d 10 x 120	50	64,00				571G010x120	700,-	17,35
d 10 x 130	50	68,70				571G010x130	732,-	18,15
d 10 x 140	50	73,40				571G010x140	753,-	18,67
d 10 x 150	50	78,10				571G010x150	874,-	21,67
d 10 x 160	50	82,80				571G010x160	943,-	23,38
d 10 x 180	50	92,20				571G010x180	975,-	24,17
d 10 x 200	50	101,60				571G010x200	1.250,-	30,99
d 12 x 50	100	45,40				571G012x050	466,-	11,55
d 12 x 60	100	51,80				571G012x060	509,-	12,62
d 12 x 70	50	57,80				571G012x070	562,-	13,93
d 12 x 80	50	64,50				571G012x080	678,-	16,81
d 12 x 90	50	71,00				571G012x090	710,-	17,60
d 12 x 100	50	77,10				571G012x100	977,-	24,22

Houtdraadbouten


Vis à bois à tête hexagonale

			STAAL / ACIER			VERZINKT / ZINGUÉ		
afmeting dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100	code code	Bef/100 Fb/100	Euro/100 Euro/100
d 12 x 120	50	83,40				571G012x120	1.103,-	27,34
d 12 x 140	50	89,70				571G012x140	1.331,-	32,99
d 12 x 150	50	92,85				571G012x150	1.499,-	37,16
d 12 x 160	50	96,00				571G012x160	1.673,-	41,47
d 12 x 180	50	102,30				571G012x180	1.919,-	47,57
d 12 x 200	25	108,60				571G012x200	1.950,-	48,34


Houtdraadbouten thermisch verzinkt
Vis à bois à tête hexagonale galvanisé à chaud





DIN 571
 ISO/EN 2260

			STAAL / ACIER			VERZINKT / ZINGUÉ		
afmeting dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100	code code	Bef/100 Fb/100	Euro/100 Euro/100
d 7 x 60	500	0,65				571W007X060	276,-	6,84
d 7 x 70	500	0,81				571W007X070	360,-	8,92
d 7 x 80	500	0,87				571W007X080	360,-	8,92
d 7 x 90	500	1,05				571W007X090	407,-	10,09
d 7 x 110	500	1,21				571W007X110	408,-	10,11
d 7 x 130	500	1,20				571W007X130	517,-	12,82

Snelbouschroeven Philips gefosfateerd Vis fixations rapides Philips acier phosphaté




ISO/EN

 			STAAL / ACIER			VERZINKT / ZINGUÉ		
afmeting dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100	code code	Bef/100 Fb/100	Euro/100 Euro/100
3,5 x 25	500	0,80				SNBSF003.5X025	32,-	0,79
3,5 x 35	500	1,10				SNBSF003.5X035	42,-	1,04
3,5 x 45	500	1,25				SNBSF003.5X045	49,-	1,21
3,5 x 55	200	1,42				SNBSF003.5X055	60,-	1,49
4,2 x 65	200	1,66				SNBSF004.2X065	87,-	2,16
4,2 x 75	200	1,86				SNBSF004.2X075	102,-	2,53


Spaanplaatschroeven verzonken kop geelverzinkt Pozidriv Vis pour agglo tête fraisée zingué Pozidriv



ISO/EN

			STAAL / ACIER			VERZINKT / ZINGUÉ		
afmeting dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100	code code	Bef/100 Fb/100	Euro/100 Euro/100
3,0 x 13	200	0,48				SPSB003.0X013	15,-	0,37
3,0 x 17	200	0,57				SPSB003.0X017	17,-	0,42
3,0 x 20	200	0,65				SPSB003.0X020	19,-	0,47
3,0 x 25	200	0,81				SPSB003.0X025	22,-	0,55
3,0 x 30	200	0,92				SPSB003.0X030	25,-	0,62
3,0 x 35	200	1,08				SPSB003.0X035	37,-	0,92
3,0 x 40	200	1,24				SPSB003.0X040	70,-	1,74
3,5 x 13	200	0,58				SPSB003.5X013	21,-	0,52
3,5 x 16	200	0,67				SPSB003.5X016	22,-	0,55
3,5 x 20	200	0,87				SPSB003.5X020	24,-	0,59
3,5 x 25	200	1,05				SPSB003.5X025	28,-	0,69
3,5 x 30	200	1,21				SPSB003.5X030	32,-	0,79
3,5 x 35	200	1,39				SPSB003.5X035	38,-	0,94
3,5 x 40	200	1,63				SPSB003.5X040	42,-	1,04
3,5 x 45	200	1,87				SPSB003.5X045	66,-	1,64
4,0 x 12	200	0,82				SPSB004.0X012	27,-	0,67
4,0 x 17	200	1,00				SPSB004.0X017	27,-	0,67
4,0 x 20	200	1,20				SPSB004.0X020	29,-	0,72
4,0 x 25	200	1,41				SPSB004.0X025	30,-	0,74
4,0 x 30	200	1,67				SPSB004.0X030	34,-	0,84
4,0 x 35	200	1,91				SPSB004.0X035	41,-	1,02
4,0 x 40	200	2,15				SPSB004.0X040	44,-	1,09
4,0 x 45	200	2,37				SPSB004.0X045	53,-	1,31
4,0 x 50	200	2,66				SPSB004.0X050	61,-	1,51
4,0 x 60	200	3,13				SPSB004.0X060	74,-	1,83
4,5 x 16	200	1,01				SPSB004.5X016	32,-	0,79
4,5 x 20	200	1,28				SPSB004.5X020	35,-	0,87
4,5 x 25	200	1,75				SPSB004.5X025	42,-	1,04
4,5 x 30	200	2,06				SPSB004.5X030	49,-	1,21
4,5 x 35	200	2,41				SPSB004.5X035	48,-	1,19
4,5 x 40	200	2,75				SPSB004.5X040	55,-	1,36

Spaanplaatschroeven verzonken kop geelverzinkt Pozidriv
Vis pour agglo tête fraisée zingué jaune Pozidriv

			STAAL / ACIER			VERZINKT / ZINGUÉ		
afmeting dimension	verpakking emballage	kg/1000 kg/1000	code code	Bef/100 Fb/100	Euro/100 Euro/100	code code	Bef/100 Fb/100	Euro/100 Euro/100
4,5 x 45	200	2,96				SPSB004.5X045	61,-	1,51
4,5 x 50	200	3,17				SPSB004.5X050	76,-	1,88
4,5 x 55	200	3,68				SPSB004.5X055	159,-	3,94
4,5 x 60	200	4,23				SPSB004.5X060	91,-	2,26
4,5 x 70	200	4,42				SPSB004.5X070	168,-	4,16
5,0 x 20	200	2,04				SPSB005.0X020	48,-	1,19
5,0 x 25	200	2,28				SPSB005.0X025	55,-	1,36
5,0 x 30	200	2,61				SPSB005.0X030	60,-	1,49
5,0 x 35	200	2,96				SPSB005.0X035	64,-	1,59
5,0 x 40	200	3,34				SPSB005.0X040	75,-	1,86
5,0 x 45	200	3,73				SPSB005.0X045	80,-	1,98
5,0 x 50	200	4,02				SPSB005.0X050	91,-	2,26
5,0 x 60	200	4,71				SPSB005.0X060	103,-	2,55
5,0 x 70	200	5,51				SPSB005.0X070	122,-	3,02
5,0 x 80	200	6,23				SPSB005.0X080	169,-	4,19
5,0 x 90	200	7,03				SPSB005.0X090	229,-	5,68
5,0 x 100	200	7,71				SPSB005.0X100	311,-	7,71
6,0 x 30	200	4,26				SPSB006.0X030	159,-	3,94
6,0 x 40	200	5,00				SPSB006.0X040	113,-	2,80
6,0 x 45	200	5,47				SPSB006.0X045	118,-	2,93
6,0 x 50	200	5,86				SPSB006.0X050	129,-	3,20
6,0 x 60	200	7,02				SPSB006.0X060	152,-	3,77
6,0 x 70	200	8,08				SPSB006.0X070	175,-	4,34
6,0 x 80	200	9,00				SPSB006.0X080	206,-	5,11
	200	10,20				SPSB006.0X090	281,-	6,97
6,0 x 100	200	11,04				SPSB006.0X100	363,-	9,00
6,0 x 120	200	12,76				SPSB006.0X120	424,-	10,51
6,0 x 150	200	15,36				SPSB006.0X150	1.113,-	27,59